

<b>CHASSIS NUMBER:</b> 468396	<b>Plant:</b> M	<b>MODEL:</b> 0000370	<b>CUSTOMER NAME:</b> STOCK	<b>TENTATIVE DATE:</b> 11/16/20
<b>REPORT DATE:</b> 10/13/20				
<b>CHASSIS NUMBER:</b> 468396		<b>MODEL:</b> 0000370	<b>PLANT CODE:</b> M	
<b>DEALER NO:</b> K860			<b>OPS STAT:</b> 10/13/20	
<b>PRESENT ID-1:</b> T3704X2PROPANE			<b>CUSTOMER PO:</b>	
<b>DEALER NAME AND ADDRESS:</b> KW OF SE NEW ENGLAND, INC. 1150 WEST CHESTNUT ST. BROCKTON MA 02301			<b>CUSTOMER NAME AND ADDRESS:</b> CG59 STOCK	
<b>SHIPPING DESTINATION:</b> K860				
<b>STARTING CHASSIS NO:</b>		<b>ENDING CHASSIS NO:</b>		
<b>REQUESTED:</b> 11/16/20		<b>PRICE EFFECTIVE DATE:</b> 01/01/20		
<b>TENTATIVE DATE:</b> 11/16/20		<b>FIRM DATE:</b>		
<b>WHEELBASE:</b> 206.00		<b>CAB TO AXLE:</b> 138.00		
<b>CAB TO END OF FRAME:</b> 248.00		<b>AXLE TO BACK OF CAB:</b> 68.00		

OPTION	DESCRIPTION	PUB	WGT
	<b>BASE MODEL</b>		
0000370	T370 SERIES CONVENTIONAL	P	9508
0070006	T370 CLASS 7 MED DUTY CONVENTIONAL	P	0
0072000	CHASSIS OPERATION WILL NOT INCLUDE A STATIONARY APPLICATION	P	0
0080050	CARB IDLE EMISSIONS REDUCTION FEATURE FOR PX-7 and PX-9	P	0
0090015	MEDIUM DUTY 4X2 AUTOMATIC	P	0
	<b>ENGINE AND ENGINE EQUIPMENT</b>		
0120331	PX-7 325 325@2400 315@2600 750@1800 2017 W/TURBO EXH BRK	P	0
N0920	N205 75....STANDARD MAXIMUM SPEED LIMIT		
N0922	N207 0.....EXPIRATION DISTANCE (N207)		
N0926	P14 73....MAX VEHICLE SPEED IN TOP GEA		
N0930	P19 73....MAX CRUISE CONTROL SPEED		
N0936	N203 252...RESERVE SPEED FUNCTION RESET		
N0938	N202 0.....MAXIMUM CYCLE DISTANCE (N202)		
N0940	N206 10....MAXIMUM ACTIVE DISTANCE (N20		
N0942	N201 0.....RESERVE SPEED LIMIT OFFSET (		
N0944	P11 YES...ENGINE PROTECTION SHTDWN		
N0946	P06 NO....GEAR DOWN PROTECTION		
N0948	P26 1400..MAX PTO SPEED		
N0950	P02 YES...CRUISE CONTROL AUTO RESUME		
N0952	P04 YES...AUTO ENGINE BRAKE IN CRUISE		
N0954	N209 0.....EXPIRATION DISTANCE (N209)		
N0956	P520 NO....ENABLE IDLE SHUTDOWN PARK BR		
N0958	P32 5.....IDLE SHTDWN TIME		
N0960	P233 YES...ENABLE IMPENDING SHUTDOWN WA		
N0962	P234 60....TIMER FOR IMPENDING SHUTDOWN		
N0964	P516 35....ENGINE LOAD THRESHOLD		
N0968	P33 NO....IDLE SHTDWN OVERRIDE		
N0972	P230 YES...ENABLE HOT AMBIENT AUTOMATIC		
N0974	P46 40....LOW AMBIENT TEMPERATURE THRE		
N0976	P56 60....INTERMEDIATE AMBIENT TEMPERA		
N0978	P47 80....HIGH AMBIENT TEMPERATURE THR		
1000151	PREMIERSPEC	U	0
1000243	PT Optimization analysis: Performance power before economy results	P	0
1000254	Customer's Typical Operating Spd:65 MPH	P	0
1000684	Effective VSL Setting NA	P	0
1000857	Engine Idle Shutdown Timer Enabled	P	0
1000891	Eff EIST NA Expiration Miles	P	0

1002060	Use only w/lt MX and Cummins engines Air compressor:18.7 CFM FOR Cummins AND PACCAR PX engines.	P	0
1031130	AIR CLEANER: DONALDSON DRY TYPE	P	0
1098005	AIR RESTRICTION INDICATOR:FILTER MINDER ELECTRIC, MTD ON AIR CLEANER	P	0
1105260	Fan Hub: Horton 2-Speed for PX-7	P	0
1121200	Cooling module 1000 sq in T170/T270/T370/T470	P	0
1160205	BUG SCREEN FRT OF GRILLE C500,T800,T880 W900 BEHIND GRILLE T660,T680,T700,T300	P	2
1247193	EXH:2017 EPA RH UNDER CAB DPF/SCR FOR PX-7 W/ SINGLE VERTICAL RH SOC TAILPIPE	P	220
1290130	Tailpipe: 5" Single 30" 45 Deg Curved	P	0
1321109	Fuel Filter:PACCAR Std. Serv. Interval Fuel/Water Separator, 2017 and Later	P	0
1321200	Run Aid:None *For Fuel Filter	P	0
1321305	Start Aid: 12V Heat *For Fuel Filter	P	0
1500035	ENG BLOCK HTR PLUG MTD LH FENDER BRKT	P	0
1504006	ENGINE BLOCK HTR: 120V 750W PX-6/PX-7, 1000W PX-8/PX9 and ISL9	P	2
1816260	Alternator: PACCAR 160 amp, brush type	P	0
1821210	BATT: 3 PACCAR GP31 THR (700-730) 2100-2190 CCA DUAL PURPOSE BATTERIES	P	57
1836107	STARTER: PACCAR 90P47 12-VOLT FOR USE WITH PACCAR PX-7	P	0
1840005	BATT DISCONNECT SW: 2 MTD ON BATT BOX	P	2
1900082	MULTI FUNCTION ENG CONN FOR BODY BLDR for Cummins	P	0
1900976	Body builder Ctrl harness coiled EOF F/ C/I remote throttle and PTO ctrls <b>MAIN TRANSMISSION AND CLUTCH</b>	P	2
2011205	TRANS:ALLISON 3000RDS 6 SPD GEN 5,W/PTO	P	291
N2060	SCAAN #114015 10/13/2020 11:42:28 AM		
2406452	D/L: 2 DANA SPL170XL W/ 1 CB REQ 3500057 W/ TANDEM	P	95
2410018	TORQUE CONVERTER INCLD W/ALLISON TRANS	P	0
2410019	TRANSMISSION APPROVAL RECEIVED, SEE NAR NARRATIVE N2060 FOR RECEIVAL DATE	U	0
2410114	LH PTO ACCESS, RH DIP STICK TUBE ALLISON 3000 SERIES TRANS ONLY	P	0
2410204	Delete Allison Fuel Sense	P	0
2410244	J1939 Park Brake Auto Neutral	P	0
2410311	Decline Allison Neutral at Stop Stand- Alone	P	0
2410413	TORQUE CONVERTER:TC413 F/3000 SERIES USE WITH MD, 3000 & 3500 EVS, HS & RDS	U	0
2410426	ALLISON GEN 5 RDS PACKAGE 223 FOR 3000, 3500, 4000, 4500, 4700 TRANS	U	0
2429358	Trans PTO Rear Trans Supt Spring(s)	P	0
2501010	<b>FRONT AXLE AND EQUIPMENT</b> FR DANA SPCR E-1002IL 10K 3.5" DROP USE W/AIR BRK ONLY	P	53-
2603006	FR BRKS INCLUDED W/FR HUB PKG	P	0
2659047	FR DUST SHIELDS:F/ALL DRUM BRKS	P	7
2701015	FR 14.6K AIRBRKPKG:BENDIX 16.5X5BRKS,CS TDRM 10BLT IRON PRESET HPHUBS,HBCPS&SLX	P	0
2863015	FR SPRG TAPERLEAF 12K W/SHOCKS 54" W/22.5" WHLS ONLY T270/T370 ONLY	P	0

2895223	PWR STRG SING GEAR, F/AIR BRKS 13.2K	P	0
	<b>REAR AXLE AND EQUIPMENT</b>		
3041190	RR DANA SPCR S23-190 23K RATED @ 23K SING	P	366
3200614	REAR AXLE RATIO-6.14	P	0
3300000	RR BRK:INCLUDED W/SINGLE HUB PACKAGE	P	0
3403042	26K AIRBRKPKG:16 1/2X7 BRKS, CAST DRUMS ,IRON PRESET 10BOLT HP HUBS&SLX	P	0
3485007	RR SPRING BRK:3030 LONGSTROKE SING	P	0
3490047	RR DUST SHEILDS:F/ DRUM BRK/ALL RR	P	11
3495226	ABS:BENDIX 4S/4M	P	0
3500002	FR WHL+2 GRP RR WHL*AVL ONLY W/AIR BRK REAR AXLE APPROVAL RECEIVED*SEE N3840 FOR DATE OF RECEIPT*	U	0
3531001	WHL DIFF LOCK:S21-170/172, S21-190, S23 -170/172, S23-190,S26-190 & S30-190	P	29
3636422	REYCO 79KB TAPERLEAF 23K SING*MED DUTY W/ HELPER SPRG, NOT RR ADB COMPATIBLE	P	57
3836310 N3840	REAR SHOCK ABSORBERS F/REYCO 79KB DA-20-03502-001 10/13/2020 12:11:34 PM	P	35
	<b>TIRES, WHEELS &amp; RIMS</b>		
4079051	FR BR R250ED 11R22.5 16PR AP SIDE WALL PROTECTOR BAR	P	4-
	PART: BR11R225HR250ED FET: 58		
4277487	RR BR M799 11R22.5 16PR DR	P	22
	PART: BR245434 FET: 116		
4900004 5043363	CODE-REAR TIRE QTY 04. FR WHL ALCOA 88267 22.5X8.25 AL HUB PIL MNT, NEW GEN, ADB COMPAT, LVL1	P	46-
5854010	SING FR AXLE POL OUTBRD SURFACE OF WHLS	P	0
5854011	SING RR AXLE POL OUTBRD SURFACE OF OUTER WHLS (QTY 2)-2	P	0
5243363	RR WHL ALCOA 88267 22.5X8.25 AL HUB PIL, LVL1	P	88-
5900004	CODE-REAR RIM QTY 04.		
	<b>FRAME AND EQUIPMENT</b>		
6054410	FRAME RAILS: 10-5/8 X5/16" STL 309-380" SECTION MOD:14.80, RBM:1,776,000 LBS	P	0
6308715	BUMPER: AERODYNAMIC, CHROME	P	0
	REQS BUMPER SETTING CODE		
6319409	40.9 INCH BUMPER SETTING *REQS BUMPER CODE	P	0
6321005	REMOVABLE FRONT TOW HOOKS: 2	P	15
6390086	VEHICLE LAYOUT SENT PENDING APPROVAL	U	0
6390103	FRT MUDFLAPS	P	0
6391201	Custom Frame Layout: one chassis	P	0
6404406	BATT BOX: PAR STL UND CAB, AL DP INTGL STEP COVER W/ALUM STEP BRKTS	P	0
6409901	BATTERY BOX LOCATION: LH SIDE	P	0
6451059	T270/T370: NON-POLISH DPF/SCR COVER CAB ACCESS RH UNDER	P	0
6490122	1-PC WELDED C/M ASSY W/ 12MM FRAME FASTENERS, CENTER AND REAR FRAME	P	0
6490430 N6490 N6491	BOLTED RR CAB SUPPORT C/M, REPL T3 STD CFL C/M: CLEAR INNER FLANGES BETWEEN 60 CFL C/M: AND 90 BEHIND CAB	P	18
6679817	2017 EPA Emissions Engine	U	0
6679962	***DLR/CUST ACCEPTS FINAL CHASSIS FRAME RAKE BASED ON PRE-BILL REVIEW**	U	0

6742009	SQUARE END OF FRAME: W/O C/M	P	0
	<b>FUEL TANKS AND EQUIPMENT</b>		
7014075	FUEL TANK: 75 US GAL 22" AL BOC RPL	P	35-
7722011	DEF TANK: SMALL ROUND	P	0
	11 GAL USABLE *2013 OR LATER		
7840015	POLISH ONLY: 1 ALUMINUM TANK	P	0
7840038	POLISHED COVER: 1 DEF TANK ANY SIZE	P	2
7889061	POL STRAPS: 1 TANK ANY SIZE	P	0
7889203	DEF TO FUEL FILL RATIO 2:1 OR GREATER	P	0
7889604	DEF TANK LOC: LH	P	0
	7940075		
	<b>CAB AND EQUIPMENT</b>		
8024310	CAB: CONVENTIONAL*CURVED GLASS*	P	0
	CS: INCL HD REINFORCEMENTS*		
8080137	CAB DOOR BEARING BLOCKS: TOP & BOTTOM	P	0
8090310	HOOD: SLOPED AERODYNAMIC W/GRILLE & SEPARATE BUMPER	P	0
8108010	HEATER/AIR COND W/INTEGRAL DEFROSTERS & 5 MODE ROTARY CTRLS*CAB ONLY NO SLPR*	P	0
8201200	STRG COLUMN:ADJ TELESCOPNG TILT*CODE F/18" STRG WHEEL*	P	11
8203060	5 SETS OF KEYS. REPLACES STANDARD (2 SETS OF KEYS).	P	0
8222712	GAU: FUEL FILTER RESTRICTION	P	0
8282004	Kenworth Driver Information Center (Highline display)	P	0
8282009	INSTRUMENT PACKAGE	P	0
8282990	FULL BURL WOOD DASH PANELS	P	0
8330003	INTERIOR: CAB PINNACLE	P	0
8410191	DR SEAT: KW AIR-CUSHION PLUS HB VINYL INCL DUAL ARMRESTS & SUSPENSION COVER	P	2
8480180	RD SEAT: KW STL TOOLBOX PLUS IB VINYL *INCL DUAL ARMRESTS*SUSP COVER NA	P	4-
8490170	SEAT COLOR:ALL JET BLACK*NOT 2-TONE* USE ONLY W/KENWORTH SEATS*OTHER SEATS	P	0
8601432	KENWORTH RADIO DEA710 AM/FM/WB/USB, BLUETOOTH	P	0
8699147	ANT: SOLID POST *LH COWL* DUMP TRK OR LOG SVC*REPL ANT STD LOC*N/A KW AERO	P	0
8700083	UNDERDASH CNTR CONSOLE*2 CUPHOLDER/1 ASHTRAY/1 LIGHTER/1 12V OUTLET/STORAGE	P	0
8700144	DOME LAMP OVER DRIVER DOOR	P	0
8700154	TURN SIGNAL SWITCH: SELF-CANCELLING W/ HEADLIGHT DIMMER	P	0
8800400	GRABHANDLE:1 LH INSD DOOR FRAME ABOVE DASH	P	0
8800401	GRABHANDLE:1 RH INSD DOOR FRAME ABOVE DASH	P	2
8800733	GRABHANDLE:1 LH W/SHORT EXT OVER DOOR RPL STD (OPTION 21)	P	4
8800734	GRABHANDLE:1 RH W/SHORT EXT OVER DOOR RPL STD	P	4
8832115	DAYLITE DOOR: LH/RH	P	0
	INCLDS RH PEEPER WINDOW		
8841618	AIR HORN: DUAL RECT 23" LH/RH ROOF INCL AIR HORN COVERS	P	11
8850300	Look-down, pass. Door,Stainless 8.5x4.4	P	0
8863570	CX MIRR: DUAL SS HTD 8.5"	P	11
	OFFSET STUD MOUNTING*		
8866101	MIRROR: DUAL PRUTSMAN HTD POL SS*SW LOCATED ON DOOR PAD*THERMOSTATICALLY	P	0

8869005	MIRROR BRKT: DUAL 8-1/2'	P	0
8879213	WINDOW LIFT: ELEC POWERED LH/RH SIDE SW LOCATED ON DOOR PAD	P	0
8879911	RR CAB WINDOW: (2) 17.5"X16" CORNER + 1 17"X36" FIXED CTR; NA W/SLPR/SIDE EXT	P	24
8890135	SUNVISOR: EXTERIOR STAINLESS STEEL	P	11
	<b>LIGHTS AND SIGNALS</b>		
9010801	HEADLAMPS: DUAL HALOGEN	P	0
9022137	MARKER: 5 RECTANGULAR LED	P	0
9030010	TURN SIGNAL: CONV FENDER-MTD	P	0
9058037	SW/WIRE/IND LT: C/I FLOODS 1ST SW W/O ELEC PASS-THRU: WIRED COILED BOC/BOS	P	0
9070138	COMB: STOP/TAIL/TURN/BACKUP LIGHTS RH/LH	P	0
9080202	SW & WRG FOR C/I BEACON(S) W/O INSULATORS COILED WIRE BEHIND DASH	P	0
9090000	DAYTIME RUNNING LAMPS	P	0
9090115	REFLECTORS: 2 AMBER MIDFRM-MTD F/FULL TRUCK*FOR TRACTOR USE 9090117*	P	0
9090126	BACKUP ALARM: ELECTRIC	P	4
9090312	BODY BUILDER HARNESS COILED EOF FOR ADDIT. C/I: TAIL, TURN, STOP, MARKER LIGHTS	P	0
9090845	CIRCUIT BREAKERS: TO REPLACE FUSES *DOES NOT APPLY TO ANY 5-AMP FUSE*	P	0
	<b>AIR EQUIPMENT</b>		
9101218	AIR DRYER: BENDIX AD-HF HTD PURAGUARD	P	0
9140238	Locate air dryer outside RH rail BOC (Req custom frame L/O code)	P	0
	<b>OPTIONAL EXT WTY &amp; PRV MNT</b>		
9200007	BASE WARR: PACCAR PX-7 ENGINE 36 MONTHS/UNLMTD MI&KM/UNLMTD HRS	P	0
9200022	BASE WARR: STANDARD SERVICE MED DUTY 12 MONTHS/UNLMTD MI & KM	P	0
	<b>VAN BODY AND EQUIPMENT</b>		
9210253	2020 Medium Duty Sales Program \$1000 Net Credit	U	0
	<b>ORDER REVIEWED BY APPLICATIONS TECH:</b>		
9290172	Cindy.Carey@paccar.com 740-774-5502	U	0
	<b>SPECIAL EQUIPMENT</b>		
9409852	GHG Secondary Manufacturer: Does Not Apply	P	0
9490003	OFF HIGHWAY/SPECIALTY COMPONENT TRUCK ADDITIONAL LEADTIME REQUIRED	P	0
9490206	WARNING TRIANGLE REFLECTOR KIT: 3 TRIANGLES IN PLASTIC CASE	P	4
9490404	FIRE EXT: ONE 5# DRY CHEMICAL TYPE MTD OUTBOARD OF DR. SEAT. CLASS ABC.	P	11
9490645	ZINC PHOSPHATE FRAME RAIL PAINT PROCESS REQS RAIL CODE. CODE IS F/1 PR OF RAILS	P	0
	<b>PROMOTIONS</b>		
	<b>PAINT COLOR NUMBER</b>		
9700000	PAINT COLOR NUMBER(S)	P	0
N9702	A - L0006EY WHITE		
N9720	FRAME N0001EA BLACK		
	<b>NOTES</b>		
9800001	***NOTE: REQUESTS PRECEDED BY N98XX ARE DISAPPROVED-OAR GRP #425-828-5245	U	0
N9801	K***** R***** AM/FM/WB/CD/USB ***		
N9802	AIR DRYER BENDIX AD-IS PURAGUARD HEATED <b>PAINT</b>		
9943004	BUMPER UNPAINTED	P	0

9943050	Day Cab Standard Paint	P	0
9944820	1 Color Paint Day Cab	P	0
	White If No Color Specified		
9960006	***PAINT SKETCH VERIFIED***	U	0
N9994	EMAIL: SHENCHY@KENWORTHNE.COM		
N9995	CELL PHONE:		
N9996	SALESPERSON ID: STEVE HENCHY		
N9997	DEALER CONTACT		
N9998	NAME: STEVE HENCHY PH:781-341-0008		
N9999	JCC 10/13/20 OC008		

UNIT TYPE: 2

PRICE EFFECTIVE DATE:  
01/01/20

**\*\* WEIGHT SHOWN HERE IS AN ENGINEERING ESTIMATE AND DOES NOT INCLUDE UNPUBLISHED OPTION OR FRAME RAIL WEIGHTS. ACTUAL 'SHIPPING' WEIGHT MAY VARY.**