

VEHICLE DATA CODE INQUIRY

VEHICLE DETAIL

Serial Number:	ND9792	Plant Code:	SAN
Fleet Size:	2	VIN:	3ALACXFE4NDND9792
Split Range:	ND9792/ND9793	Customer Name:	LINS PROPANE
TSO Number:	326213SGBT	Salesperson:	STEVEN GUSTAFSON
Pilot:	N	CAE Coordinator:	JASON MCKALE
Open TCO:	N 4	Customer Account:	T56092

SPECIFICATIONS

Base Model:	M2106	Cab Size:	106
Sleeper Size:	000	Qty Cab Colors:	1
Key Code:		Engine Model:	CL090
Transmission Model:	3000RDS	Auxiliary Transmission:	
Front Axle:	S100D	Rear Axle:	S23M
Tag/Pusher Axle Model:		Suspension Model:	FL23HLPR
TSO Processing:	COMPLETE	Engineering CWOS:	COMPLETE
Pricing Issues:	COMPLETE		

SCHEDULE

Order Status:	SCHEDULED	Status Date:	2021-05-24
Order Received Date:	2020-12-02	Delivery Requested Date:	2021-05-20
Latest Accept Date:	2021-05-20	Projected Delivery Date:	2021-06-22
Order Released Date:	2021-04-01	Ship Method:	DRIVEABLE

SHIPPING/PRICING

Transit Start Date:		Estimated Arrival Date:	
Delivered Date:		Spec Con Date:	2021-04-01
Official Invoice Date:		Retail Sold Date:	
Concession Number:		Price Level:	PRL-24M
PDI Received Date:		PDI Returned Date:	
Approval Date:		TCO Approval:	
Ship To:	LIN" S PROPANE TRUCKS 2281 CEDAR STREET DIGHTON ,MA02715 USA 800-252-5467		

Ship Instructions:

Databook	Origin TCO #	Description	Value
PRL-24M	002	PRICE LEVEL INFORMATION M2 PRL-24M (EFF:1/19/21)	
		GENERAL APPLICATION INFORMATION	
AA1-002	D	TRUCK CONFIGURATION	
AA6-001	D	DOMICILED, USA 50 STATES (INCLUDING CALI	
	D	FORNIA AND CARB OPT-IN STATES)	
A85-002	D	PICKUP AND DELIVERY/SHORT HAUL SERVICE	
AA3-003	D	TANK BODY	
AA2-998	D	NO TRAILER SPECIFIED	
AA5-002	D	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN	
	D	TRANSIT, IS SPENT ON PAVED ROADS	
AB5-001	D	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MO	
	D	ST SEVERE IN-TRANSIT (BETWEEN SITES) ROA	
	D	D SURFACE	
AB1-008	D	MAXIMUM 8% EXPECTED GRADE	
AA4-002	D	LIQUID BULK COMMODITY	
A84-1PE	D	PETROLEUM BUSINESS SEGMENT	
A66-99D	D	EXPECTED FRONT AXLE(S) LOAD	10000 LBS
A68-99D	D	EXPECTED REAR DRIVE AXLE(S) LOAD	23000 LBS
A63-99D	D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY	33000 LBS
AC8-99D	S	CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	142.126 IN
AL8-99D	S	CALC'D CAB TO BODY (INCL 2" CLEARANCE)	3 IN
A88-99D	D	EXPECTED TRUCK BODY LENGTH	216 IN
AL4-99D	S	CALC'D FRAME LENGTH BACK OF CAB	221.85 IN
AL6-99D	S	CALC'D BODY AFT OF EOF (+=BODY OVERHANG)	-2.85 IN
AM1-99D	S	CALC'D OVERALL LENGTH AT BODY OR EOF	328.15 IN
AC3-99D	S	CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	84.409 MPH
AF7-99D	D	BRAKING-EXP CG OF BODY&LOAD ABOVE FRAME	32 IN
AK2-99D	S	BRAKING-MAX CG OF LOAD ABOVE FRAME @GVWR	32 IN
AM3-99D	S	CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	37.864 IN
AR1-99D	S	003 CAL'D FRAME HT AT FRONT SUSP-UNLADEN	37.961 IN
AM2-99D	S	CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	41.726 IN
AM0-99D	S	TOP OF FRM TO RR TIRE TOP-UNLD	-0.474 IN
ALG-99D	S	CALC'D CAB HEIGHT ABOVE FRAME	67.523 IN
ALJ-99D	S	CALC'D CAB HEIGHT ABOVE GROUND; EXP LOAD	104.459 IN
ALH-99D	S	003 CALC'D CAB HEIGHT ABOVE GROUND; UNLADEN	106.58 IN
AF3-525	D	U.S. TANK	
		MAXIMUM GVW & AXLE SYSTEM CAPACITIES	
A61-99D	S	CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	10000 LBS
A59-99D	S	CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	23000 LBS
A60-99D	S	CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0 LBS
A62-99D	S	RATED MAXIMUM VEHICLE CAPACITY - GVWR	33000 LBS
		BASE MODEL	
001-172	D	M2 106 CONVENTIONAL CHASSIS	F 5709 R 3503
004-222	D	2022 MODEL YEAR SPECIFIED	
995-091	D	MEDIUM TRUCK WARRANTY	
002-004	D	SET BACK AXLE - TRUCK	
019-002	D	STRAIGHT TRUCK PROVISION	
003-001	D	LH PRIMARY STEERING LOCATION	
		ENGINE	
101-3BT	D	CUM L9 350 HP @ 2200 RPM; 2200 GOV RPM,	F 640 R 30
	D	1050 LB-FT @ 1200 RPM	
99C-021	D	2010 EPA/CARB/GHG21 CONFIGURATION	
99X-019	S	OBD 2019 MISFIRE MONITORING	
99Z-006	S	VEHICLE IS SUBJECT TO EPA GHG21	
99D-011	D	2008 CARB EMISSION CERTIFICATION - CLEAN	
	D	IDLE (INCLUDES 6X4 INCH LABEL ON LOWER	
	D	FORWARD CORNER OF DRIVER DOOR)	
9EE-004	S	J1939 ELECTRICAL ARCHITECTURE	
992-001	S	50 STATE EMISSIONS CERTIFICATION	

Databook	Origin TCO #	Description	Value
28F-002	D	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC	
	D	OVER THE ROAD REGENERATION AND DASH MOUN	
	D	TED REGENERATION REQUEST SWITCH	
79A-078	D	78 MPH ROAD SPEED LIMIT	
79B-000	D	CRUISE CONTROL SPEED LIMIT SAME AS ROAD	
	D	SPEED LIMIT	
79C-998	D	NO DRIVER FUEL ECONOMY INCENTIVE	
79D-998	D	NO PROGRESSIVE SHIFTING	
79E-998	D	NO LOW RANGE TORQUE PROTECT	
79F-998	D	NO FLEET MANAGEMENT	
79G-998	D	NO IDLE SHUTDOWN CONFIGURATION	
79J-998	D	NO PTO SHUTDOWN CONFIGURATION	
79K-007	D	PTO MODE ENGINE RPM LIMIT - 1100 RPM	
79L-998	D	PTO MODE THROTTLE OVERRIDE DISABLED	
79M-998	D	PTO MODE BRAKE OVERRIDE - DISABLED	
79N-998	D	NO PTO MODE CLUTCH OVERRIDE	
79P-002	D	PTO RPM WITH CRUISE SET SWITCH - 700 RPM	
79Q-003	D	PTO RPM WITH CRUISE RESUME SWITCH - 800	
	D	RPM	
79R-998	D	NO PTO MODE COOLING FAN	
79S-001	D	PTO MODE CANCEL VEHICLE SPEED - 5 MPH	
79T-998	D	NO PTO MODE RPM INCREMENT	
79U-007	D	PTO GOVERNOR RAMP RATE - 250 RPM PER SEC	
	D	OND	
79V-998	D	NO PTO MODE DPF REGEN	
79W-001	D	ONE REMOTE PTO SPEED	
79X-005	D	PTO SPEED 1 SETTING - 900 RPM	
79Y-998	D	NO PTO 2 SET SPEED	
79Z-998	D	NO PTO 3 SET SPEED	
80A-998	D	NO ALTERNATE ROAD SPEED LIMIT	
87W-998	S	NO PTO MODE ENG RPM LIMIT, PTO 2	
87X-998	S	NO PTO MODE ENG RPM LIMIT, PTO 3	
87Y-998	S	NO PTO MODE ENG RPM LIMIT, PTOEM	
87Z-998	S	NO PTO MODE ENG RPM LIMIT, REMOTE	
88X-998	S	NO PTO 1 REMOTE SET SPEED	
88Y-998	S	NO PTO 2 REMOTE SET SPEED	
88Z-998	S	NO PTO 3 REMOTE SET SPEED	
80B-998	D	NO CHECK ENGINE LIGHT ON OVERSPEED	
80C-998	D	NO ENGINE BRAKE WITH CRUISE CONTROL	
80D-998	D	NO SOFT CRUISE CONTROL	
80E-998	D	NO ENGINE FAN WITH RETARDER	
80F-998	D	NO MAINTENANCE MONITOR	
80G-002	D	PTO MINIMUM RPM - 700	
80S-998	S	NO PTO 1 CONTROLS	
80T-998	S	NO PTO 2 CONTROLS	
80U-998	S	NO PTO 3 CONTROLS	
80V-998	S	NO ENGINE MOUNT PTO CONTROLS	
85P-998	S	NO REAR PTO TRANSMISSION RANGE	
85K-998	S	NO PTO 1 J1939 CONTROL	
85L-998	S	NO PTO 2 J1939 CONTROL	
85M-998	S	NO PTO 3 J1939 CONTROL	
85N-998	S	NO ENGINE MOUNT PTO J1939 CONTROL	
80H-998	D	NO ACCELERATION MANAGEMENT	
80J-002	D	REGEN INHIBIT SPEED THRESHOLD - 5 MPH	
80R-998	S	NO DRIVETRAIN TORQUE PROTECTION	
80Y-998	S	NO CRUISE CONT-UPPER/LOWER LIMITS	
84E-000	D	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DT	
	D	NA AND ALLISON, THIS DEFINED BY ENGINE A	
	D	ND VOCATIONAL USAGE	
84F-000	D	SECONDARY SHIFT SCHEDULE RECOMMENDED BY	

Databook	Origin TCO #	Description	Value
	D	DTNA AND ALLISON, THIS DEFINED BY ENGINE	
	D	AND VOCATIONAL USAGE	
84G-000	D	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA	
	D	AND ALLISON, THIS DEFINED BY ENGINE AND	
	D	VOCATIONAL USAGE	
84H-000	D	SECONDARY SHIFT SPEED RECOMMENDED BY DTN	
	D	A AND ALLISON, THIS DEFINED BY ENGINE AN	
	D	D VOCATIONAL USAGE	
84J-000	D	ENGINE BRAKE RANGE PRESELECT RECOMMENDED	
	D	BY DTNA AND ALLISON, THIS DEFINED BY EN	
	D	GINE AND VOCATIONAL USAGE	
84K-000	D	ENGINE BRAKE RANGE ALTERNATE PRESELECT R	
	D	ECOMMENDED BY DTNA AND ALLISON, THIS DEF	
	D	INED BY ENGINE AND VOCATIONAL USAGE	
84M-998	D	TCU-PUMP MODE OPTION NOT CONFIGURED	
84N-200	D	FUEL SENSE 2.0 DISABLED - PERFORMANCE -	
	D	TABLE BASED	
85B-998	D	TCU-RANGE INDICATION NOT CONFIGURED	
85E-998	D	TCU-MAX PTO ENGINE SPEED ENGAGEMENT NOT	
	D	CONFIGURED	
85F-998	D	TCU-MAX PTO ENGINE SPEED OPERATION NOT C	
	D	ONFIGURED	
85G-998	D	TCU-MAXIMUM PTO OUTPUT SPEED ENGAGEMENT	
	D	NOT CONFIGURED	
85H-998	D	TCU-MAXIMUM PTO OUTPUT SPEED OPERATION N	
	D	OT CONFIGURED	
		ENGINE EQUIPMENT	
13E-001	D	STANDARD OIL PAN	
105-001	D	ENGINE MOUNTED OIL CHECK AND FILL	
104-998	D	NO ENGINE OIL DRAIN/SAMPLE	
133-004	S	ONE PIECE VALVE COVER	
014-099	D	SIDE OF HOOD AIR INTAKE WITH FIREWALL MO	
	D	UNTED DONALDSON AIR CLEANER	
124-1DJ	D	DR 12V 160 AMP 36-SI BRUSHLESS QUADRAMOU	F 10
	D	NT PAD ALTERNATOR WITH REMOTE BATTERY VO	
	D	LT SENSE	
292-235	D	(2) DTNA GENUINE, FLOODED STARTING, MIN	
	D	2000CCA, 370RC, THREADED STUD BATTERIES	
290-017	D	BATTERY BOX FRAME MOUNTED	
281-001	D	STANDARD BATTERY JUMPERS	
282-001	D	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE	
	D	UNDER CAB	
291-017	D	WIRE GROUND RETURN FOR BATTERY CABLES WI	
	D	TH ADDITIONAL FRAME GROUND RETURN	
289-001	D	NON-POLISHED BATTERY BOX COVER	
33M-998	D	NO AUXILIARY POWER DISTRIBUTION MANAGEME	
	D	NT	
293-058	D	POSITIVE LOAD DISCONNECT WITH CAB MOUNTE	F 8
	D	D CONTROL SWITCH MOUNTED OUTBOARD DRIVER	
	D	SEAT	
295-029	D	POSITIVE AND NEGATIVE POSTS FOR JUMPSTAR	F 2
	D	T LOCATED ON FRAME NEXT TO STARTER	
180-998	D	NO CLUTCH	
183-998	D	NO CLUTCH BRAKE	
181-998	D	NO CLUTCH RELEASE BEARING LUBE	
182-998	D	NO CLUTCH RELEASE	
107-032	D	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRE	
	D	SSOR WITH INTERNAL SAFETY VALVE	
108-002	D	STANDARD MECHANICAL AIR COMPRESSOR GOVER	
	D	NOR	

Databook	Origin TCO #	Description	Value
131-013	D	AIR COMPRESSOR DISCHARGE LINE	
152-041	D	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM	
128-076	D	CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF	F 20
016-1C2	D	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	F 30 R 25
239-038	D	11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT	
233-017	D	STANDARD CURVE BRIGHT UPPER STACK(S)	
237-1CR	D	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP	
23U-002	D	13 GALLON DIESEL EXHAUST FLUID TANK	F 35 R 10
43W-001	S	STANDARD DIESEL EXHAUST FLUID SYSTEM COOLANT PLUMBING	
30N-003	D	100 PERCENT DIESEL EXHAUST FLUID FILL	
23Z-001	D	POLISHED ALUMINUM DIAMOND PLATE DIESEL EXHAUST FLUID TANK COVER	F 15 R 5
43X-002	D	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION	
23Y-001	D	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING	
43Y-001	D	STANDARD DIESEL EXHAUST FLUID TANK CAP	
242-001	D	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD	
240-998	D	NO OPTIONAL EXHAUST UPGRADE	
273-036	D	BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH	
276-001	D	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED	
110-003	D	CUMMINS SPIN ON FUEL FILTER	
118-008	D	COMBINATION FULL FLOW/BYPASS OIL FILTER	
120-998	D	NO COOLANT FILTER	F -10
266-013	D	1100 SQUARE INCH ALUMINUM RADIATOR	F 70
103-039	D	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT	
171-007	D	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT	
172-001	D	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES	
270-016	D	RADIATOR DRAIN VALVE	
168-002	D	LOWER RADIATOR GUARD	
360-998	D	NO FRONT ENGINE PTO	
361-998	D	NO REAR ENGINE PTO	
138-011	D	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	F 4
141-998	D	NO COOLANT HEATER - GAS/DSL	
166-998	D	NO OIL PREHEATER	
140-022	D	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR	
134-001	D	ALUMINUM FLYWHEEL HOUSING	
132-004	D	ELECTRIC GRID AIR INTAKE WARMER	
155-058	D	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH	
		TRANSMISSION & EQUIPMENT	
342-582	D	ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	F 200 R 60
352-998	D	NO AUXILIARY TRANSMISSION	
343-339	D	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE	

Databook	Origin TCO #	Description	Value
	D	LE ON 3000/4000 PRODUCT FAMILIES WITH VO	
	D	CATIONAL MODELS RDS, HS, MH AND TRV	
84B-012	D	ALLISON VOCATIONAL RATING FOR ON/OFF HIGH	
	D	HWAY APPLICATIONS AVAILABLE WITH ALL PRO	
	D	DUCT FAMILIES	
84C-023	D	PRIMARY MODE GEARS, LOWEST GEAR 1, START	
	D	GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3	
	D	000/4000 PRODUCT FAMILIES ONLY	
84D-023	D	SECONDARY MODE GEARS, LOWEST GEAR 1, STA	
	D	RT GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR	
	D	3000/4000 PRODUCT FAMILIES ONLY	
341-018	D	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSI	
	D	ON DRAIN, AXLE(S) FILL AND DRAIN	
345-003	D	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DA	
	D	SH MOUNTED	
97G-004	D	TRANSMISSION PROGNOSTICS - ENABLED 2013	
348-998	D	NO TRANSMISSION ACCESSORIES	
347-998	D	NO CLUTCH HOUSING MATERIAL	
370-015	D	WATER TO OIL TRANSMISSION COOLER, IN RAD	
	D	IATOR END TANK	
346-003	D	TRANSMISSION OIL CHECK AND FILL WITH ELE	
	D	CTRONIC OIL LEVEL CHECK	
368-998	D	NO EXTERNAL TRANSMISSION OIL FILTER	F -2
84T-000	S	DISABLE - NEUTRAL RANGE ASSIST	
84U-000	D	DRIVER SWITCH INPUT - DEFAULT - NO SWITC	
	D	HES	
84V-001	D	DIRECTION CHANGE ENABLED WITH MULTIPLEXE	
	D	D SERVICE BRAKES - ALLISON 5TH GEN TRANS	
	D	MISSIONS	
84W-001	S	AUXILIARY FUNCTION RANGE INHIBIT WITH MU	
	S	LTIPLXED SERVICE BRAKES - ALLISON 5TH G	
	S	EN TRANSMISSIONS	
85D-001	S	SINGLE INPUT AUTOMATIC NEUTRAL WITH SELE	
	S	CTOR OVERRIDE WITH MULTIPLEXED PARK BRAK	
	S	E - ALLISON 5TH GEN TRANSMISSIONS	
353-022	D	VEHICLE INTERFACE WIRING CONNECTOR WITHO	
	D	UT BLUNT CUTS, AT BACK OF CAB	
34C-002	D	ELECTRONIC TRANSMISSION CUSTOMER ACCESS	
	D	CONNECTOR MOUNTED BACK OF CAB	
362-824	D	(2) CUSTOMER INSTALLED CHELSEA 280 SERIE	
	D	S PTO'S	
363-011	D	PTO MOUNTING, LH AND RH SIDES OF MAIN TR	
	D	ANSMISSION	
375-998	D	NO AUXILIARY OIL COOLER	
377-998	D	NO POWER DIVIDER	
373-998	D	NO TRANSFER CASE	
376-998	D	NO SHIFT CONTROL, TRANSFER CASE	
371-998	D	NO AUX TRANS/TRANSFER CASE MTD POWER	
	D	TAKEOFF	
35T-001	D	SYNTHETIC TRANSMISSION FLUID (TES-295 CO	
	D	MPLIANT)	
385-998	D	NO MAIN DRIVELINE HARDWARE	
		FRONT AXLE, SUSPENSION & EQUIPMENT	
400-1A5	D	DETROIT DA-F-10.0-3 10,000# FF1 71.5 KPI	
	D	/3.74 DROP SINGLE FRONT AXLE	
398-998	D	NO FRONT AXLE RATIO	
389-998	D	NO FRONT AXLE DRIVESHAFT	
402-021	D	MERITOR 15X5 Q+ CAST SPIDER CAM FRONT BR	
	D	AKES, DOUBLE ANCHOR, FABRICATED SHOES	
403-002	D	NON-ASBESTOS FRONT BRAKE LINING	

Databook	Origin TCO #	Description	Value
419-021	D	GUNITE CAST IRON FRONT BRAKE DRUMS	
427-001	D	FRONT BRAKE DUST SHIELDS	F 5
409-006	D	FRONT OIL SEALS	
408-001	D	VENTED FRONT HUB CAPS WITH WINDOW, CENTE	
	D	R AND SIDE PLUGS - OIL	
416-022	D	STANDARD SPINDLE NUTS FOR ALL AXLES	
404-1B2	S	WABCO LONGSTROKE FRONT BRAKE CHAMBERS	
405-002	D	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS	
536-050	D	TRW THP-60 POWER STEERING	
537-005	S	STEEL STEERING SHAFT	
539-003	D	POWER STEERING PUMP	
534-015	D	2 QUART SEE THROUGH POWER STEERING RESER	
	D	VOIR	
533-998	D	NO POWER STEERING OIL COOLER	
40T-002	D	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT	
	D	AXLE LUBE	
620-1F0	D	12,000# DUAL TAPERLEAF FRONT SUSPENSION	F 42
619-005	D	MAINTENANCE FREE RUBBER BUSHINGS - FRONT	
	D	SUSPENSION	
62G-998	D	NO FRONT SUSPENSION OPTIONS	
62H-998	D	NO FRONT SUSPENSION SPRING BRACKET OPTIO	
	D	NS	
629-998	D	NO FRONT SWAYBAR	
410-001	D	FRONT SHOCK ABSORBERS	
		REAR AXLE, SUSPENSION & EQUIPMENT	
420-051	D	RS-23-160 23,000# R-SERIES SINGLE REAR A	R 180
	D	XLE	
421-489	D	4.89 REAR AXLE RATIO	
424-001	D	IRON REAR AXLE CARRIER WITH STANDARD AXL	
	D	E HOUSING	
382-998	D	NO (#1) DRIVELINE	
386-073	D	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVE	F 20 R 20
	D	LINE WITH HALF ROUND YOKES	
388-998	D	NO INTERAXLE (#3) DRIVELINE	
393-001	D	DRIVELINE GUARD	F 25 R 25
452-001	D	DRIVER CONTROLLED TRACTION DIFFERENTIAL	R 20
	D	- SINGLE REAR AXLE	
878-018	D	(1) DRIVER CONTROLLED DIFFERENTIAL LOCK	
	D	REAR VALVE FOR SINGLE DRIVE AXLE	
87A-998	D	NO INTERAXLE LOCK WIRING/LOGIC	
87B-004	D	BLINKING LAMP WITH EACH MODE SWITCH, DIF	
	D	FERENTIAL UNLOCK WITH IGNITION OFF, ACTI	
	D	VE <5 MPH	
423-020	D	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR B	
	D	RAKES, DOUBLE ANCHOR, FABRICATED SHOES	
433-002	D	NON-ASBESTOS REAR BRAKE LINING	
434-011	D	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE	
	D	OF DRIVE AXLE(S)	
451-001	D	CAST IRON OUTBOARD REAR BRAKE DRUMS	R -10
425-002	D	REAR BRAKE DUST SHIELDS	R 5
440-006	D	REAR OIL SEALS	
435-998	D	NO DRIVELINE PARKING BRAKE	
426-100	D	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE	
	D	SPRING PARKING CHAMBERS	
428-002	D	MERITOR AUTOMATIC REAR SLACK ADJUSTERS	
876-998	D	NO AIR PP/ELECT AXLE SHIFT,CAB	
87C-998	D	NO DRIVE/SHIFT AXLE WIRING/LOGIC	
898-998	D	NO AIR PP/ELECT-AXLE SHIFT,CHAS	
41T-002	D	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR	
	D	AXLE LUBE	

Databook	Origin TCO #	Description	Value
622-1MJ	D	23,000# 52 INCH VARIABLE RATE MULTI-LEAF	R 110
	D	SPRING REAR SUSPENSION WITH LEAF SPRING	
	D	HELPER	
034-998	D	NO REAR SUSPENSION PACKAGE	
621-001	D	SPRING SUSPENSION - NO AXLE SPACERS	
431-007	D	STANDARD U-BOLT PAD WITH U-BOLTS EXTENDE	
	D	D 1.00" LONGER THAN STANDARD	
624-998	D	NO AXLE SPACING	
628-998	D	NO SUSPENSION BEAMS	
888-998	D	NO DUMP VALVE/SWITCH FOR AIR SUSPENSION	
87D-998	D	NO REAR AIR SUSPENSION VALVE WIRING/	
	D	LOGIC	
910-998	D	NO REAR CHASSIS SUSPENSION AIR PIPING	
623-998	D	SUSPENSION CONTROL RODS - NONE	
630-998	D	NO REAR SUSPENSION STABILIZER	
439-998	D	NO REAR SHOCK ABSORBERS	
035-998	D	NO DEAD AXLE PACKAGE	
443-998	D	NO PUSHER OR TAG AXLE	
456-998	D	NO PUSHER/TAG BRAKES	
457-998	D	NO BRAKE LINING-PUSHER/TAG(SCO)	
448-998	D	NO REAR BRAKE DRUMS/ROTORS FOR PUSHER/TA	
	D	G	
429-998	D	NO PUSHER/TAG BRAKE DUST SHIELDS	
442-998	D	NO PUSHER OR TAG OIL SEALS	
444-998	D	NO PUSHER OR TAG HUB CAPS	
445-998	D	NO PUSHER OR TAG BRAKE CHAMBERS	
458-998	D	NO PUSHER/TAG SLACK ADJUSTERS	
626-998	D	NO PUSHER OR TAG SUSPENSION	
874-998	D	NO PUSHER/TAG AXLE LIFT	
896-998	D	NO PLUMBING FOR LIFT AXLE	
87F-998	D	NO LIFT AXLE WIRING/LOGIC	
		BRAKE SYSTEM	
018-002	D	AIR BRAKE PACKAGE	
490-100	D	WABCO 4S/4M ABS	
871-001	D	REINFORCED NYLON, FABRIC BRAID AND WIRE	
	D	BRAID CHASSIS AIR LINES	
46E-001	S	STANDARD AIR MANAGEMENT UNIT	
904-001	D	FIBER BRAID PARKING BRAKE HOSE	
412-001	D	STANDARD BRAKE SYSTEM VALVES	
46D-002	D	STANDARD AIR SYSTEM PRESSURE PROTECTION	
	D	SYSTEM	
413-002	D	STD U.S. FRONT BRAKE VALVE	
432-003	D	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,	
	D	NO REAR PROPORTIONING VALVE	
480-009	D	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	F 20
483-998	D	NO AIR SYSTEM OIL FILTER	
479-012	D	AIR DRYER MOUNTED UNDER HOOD	
460-093	D	STEEL AIR BRAKE RESERVOIRS; CUSTOMER ACC	F 10 R 10
	D	EPTS TANKS MOUNTED PERPENDICULAR TO RAIL	
46A-998	D	NO AUXILIARY AIR TANK	
607-998	D	CHASSIS CONFIGURATION - NONE	
477-001	D	PULL CABLE ON WET TANK, PETCOCK DRAIN VA	
	D	LVES ON ALL OTHER AIR TANKS	
485-998	D	NO EXTERNAL CHARGING GLADHAND	
481-998	D	NO TRAILER AIR HOSE	
476-998	D	NO AIR HOSE HANGER	
914-998	D	NO PLUMBING FOR AIR TO END OF FRAME	
919-998	D	NO OPTIONAL CHASSIS AIR SYSTEM PIPING,	
	D	VALVES, OR AIR UNLOADER SYSTEM	
484-998	D	NO TRAILER CABLE AND GLAD HANDS STORAGE	

Databook	Origin TCO #	Description	Value
296-998	D	NO SPECIAL PRIMARY RECEPTACLE WIRING	
297-998	D	NO TRAILER CABLE RECEPTACLE	
335-004	D	UPGRADED CHASSIS MULTIPLEXING UNIT	
32A-002	D	UPGRADED BULKHEAD MULTIPLEXING UNIT	
87P-998	D	NO CAB AUXILIARY POWER WIRING	
308-998	D	NO SUPPLEMENTAL TRAILER CABLE WIRING	
331-998	D	NO SUPPLEMENTAL J560 7-WAY TRAILER ABS R	
	D	ECEPTACLE	
30K-998	D	NO HIGH CURRENT RECEPTACLE/WIRING	
30L-998	D	NO HIGH CURRENT TRAILER/BODY CABLE	
310-998	D	NO TRAILER ELECTRICAL CABLE	
		FRAME & WHEELBASE	
545-527	D	5275MM (208 INCH) WHEELBASE	
546-101	D	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8	F 170 R 110
	D	.73MMX277.8MM/0.344X10.94 INCH) 120KSI	
547-998	D	NO INNER FRAME REINFORCEMENT	
548-998	D	NO OUTER FRAME REINFORCEMENT	
549-998	D	NO FRONT FRAME EXTENSION	
552-045	D	2025MM (80 INCH) REAR FRAME OVERHANG	F -20 R 90
AB8-99D	S	CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS	0.971 %
553-001	D	SQUARE END OF FRAME	
554-998	D	NO BUMPER/UNDERRIDE GUARD	
550-001	D	FRONT CLOSING CROSSMEMBER	
559-001	D	STANDARD WEIGHT ENGINE CROSSMEMBER	
561-001	D	STANDARD CROSSMEMBER BACK OF	
	D	TRANSMISSION	
562-341	H	STANDARD MIDSHIP #1 CROSSMEMBER MOUNTED	
	H	1035MM (41 INCH) FROM BACK OF CAB	
565-001	D	STANDARD SUSPENSION CROSSMEMBER	
572-001	D	STANDARD REARMOST CROSSMEMBER	
AL5-99D	S	CALC'D BUMPER TO REAR TOWING C/M FACE	328.15 IN
587-998	D	NO REAR TOWING DEVICE	
563-351	H	MIDSHIP #2 CROSSMEMBER MOUNTED 1300MM (5	
	H	1") FROM MIDSHIP # 1	
		CHASSIS EQUIPMENT	
674-998	D	NO LH OR RH BACK OF CAB ACCESS	
592-998	D	NO DECK PLATE	
556-1AR	D	THREE-PIECE 14 INCH CHROMED STEEL BUMPER	F 30
	D	WITH COLLAPSIBLE ENDS	
558-001	D	FRONT TOW HOOKS - FRAME MOUNTED	F 15
574-001	D	BUMPER MOUNTING FOR SINGLE LICENSE PLATE	
642-998	D	NO BUMPER/FENDER MOUNTED SIGHT RODS	
585-998	D	NO MUDFLAP BRACKETS	
590-998	D	NO REAR MUDFLAPS	
586-024	D	FENDER AND FRONT OF HOOD MOUNTED FRONT M	
	D	UDFLAPS	
576-998	D	NO TIRE CHAINS/HANGER	
551-007	D	GRADE 8 THREADED HEX HEADED FRAME FASTEN	
	D	ERS	
583-998	D	NO REAR QUARTER FENDERS	
600-998	D	NO CAB GUARD	
604-998	D	NO TIRE CARRIER	
489-998	D	NO TIRE PRESSURE CONTROL/SENSOR	
794-998	D	NO JACK OR WHEEL WRENCH PROVISION	
795-998	D	NO TOOLS	
605-998	D	CHASSIS,MISC CUSTOM REQUIREMENTS-NONE	
601-998	D	NO BODY BUILDER DIAGRAMS	
970-039	D	TANK BODY 1501 TO 3000 GALLONS	
		FIFTH WHEEL & EQUIPMENT	
578-998	D	NO FIFTH WHEEL	

Databook	Origin TCO #	Description	Value
577-998	D	NO FIFTH WHEEL LOCATION	
580-998	D	NO ADDITIONAL FIFTH WHEEL DRILLINGS	
582-998	D	NO FIFTH WHEEL LEG HEIGHT	
570-998	D	NO FIFTH WHEEL MOUNTING	
890-998	D	NO FIFTH WHEEL PLUMBING	
579-998	D	NO FIFTH WHEEL RELEASE/INST.	
591-998	D	NO FIFTH WHEEL ADD-ONS	
		FUEL TANK(S) & EQUIPMENT	
206-998	D	NO RH FUEL TANK	
201-998	D	NO RH AUXILIARY FUEL TANK	
204-192	D	50 GALLON/189 LITER RECTANGULAR ALUMINUM	F 20
	D	FUEL TANK - LH	
200-998	D	NO LH AUXILIARY FUEL TANK	
230-998	D	NO BETWEEN RAIL FUEL TANK	
203-998	D	NO HYDRAULIC OIL TANK	
218-005	D	RECTANGULAR FUEL TANK(S)	
215-004	D	POLISHING OF FUEL/HYDRAULIC TANK(S) WITH	
	D	PAINTED BANDS	
212-007	D	FUEL TANK(S) FORWARD	
11F-998	D	NO NATURAL GAS VEHICLE FUEL TANK VENT LI	
	D	NE/STACK	
231-998	D	NO FUEL TANK MTG BETWEEN RAILS	
232-998	D	NO ADDITIONAL FUEL PROVIDED	
664-004	D	POLISHED STAINLESS STEEL STEP FINISH	
207-998	D	NO FUEL TANK SCREENS	
205-001	D	FUEL TANK CAP(S)	
220-998	D	NO FUEL HEATER	
122-1J1	D	DETROIT FUEL/WATER SEPARATOR WITH WATER	F -5
	D	IN FUEL SENSOR, HAND PRIMER AND 12 VOLT	
	D	PREHEATER	
216-020	D	EQUIFLO INBOARD FUEL SYSTEM	
20E-998	D	NO AUXILIARY FUEL SUPPLY AND RETURN PORT	
	D	S	
202-016	D	HIGH TEMPERATURE REINFORCED NYLON FUEL L	
	D	INE	
213-998	D	NO FUEL LINE INSULATION	
221-998	D	NO FUEL COOLER	
		TIRES	
093-1YG	D	BRIDGESTONE R284 ECOPIA 11R22.5 14 PLY R	F 6
	D	ADIAL FRONT TIRES	
094-1RW	D	BRIDGESTONE M726ELA 11R22.5 14 PLY RADIA	R 76
	D	L REAR TIRES	
095-998	D	NO PUSHER/TAG TIRES	
510-998	D	NO SPARE TIRE	
508-998	D	NO ADDITIONAL SPARE TIRE	
		HUBS	
418-060	D	CONMET PRESET PLUS PREMIUM IRON FRONT HU	
	D	BS	
450-060	D	CONMET PRESET PLUS PREMIUM IRON REAR HUB	
	D	S	
449-998	D	NO PUSHER OR TAG HUBS	
		WHEELS	
502-693	D	ALCOA LVL ONE 88267X 22.5X8.25 10-HUB PI	F -56
	D	LOT 5.80 INSET ALUMINUM DISC FRONT WHEEL	
	D	S	
505-693	D	ALCOA LVL ONE 88267X 22.5X8.25 10-HUB PI	R -112
	D	LOT ALUMINUM DISC REAR WHEELS	
509-998	D	NO PUSHER/TAG DISC WHEELS	
511-998	D	NO SPARE WHEEL	
51A-998	D	NO ADDITIONAL SPARE WHEEL	

Databook	Origin TCO #	Description	Value
50T-998	D	NO FRONT AXLE WHEEL/HUB COVER	
50U-998	D	NO REAR AXLE WHEEL/HUB COVER	
524-001	D	POLISHED FRONT WHEELS; OUTSIDE ONLY	
525-001	D	POLISHED REAR WHEELS; OUTSIDE OF OUTER WHEELS ONLY	
526-998	D	NO POLISHED, BRIGHT STANDARD POLISH, CLEAN BUFF OR BRUSHED FINISH PUSHER/TAG WHEELS	
52L-998	D	NO POLISHED, BRIGHT STANDARD POLISH, CLEAN BUFF OR BRUSHED FINISH SPARE WHEEL	
50W-998	D	NO RIM/WHEEL TIRE PRESSURE SENSOR	
496-011	D	FRONT WHEEL MOUNTING NUTS	
497-011	D	REAR WHEEL MOUNTING NUTS	
498-012	D	NYLON WHEEL GUARDS BETWEEN REAR DUAL WHEELS ONLY	
		CAB EXTERIOR	
829-071	D	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB	
682-998	D	NO SLEEPER BOX/SLEEPER CAB	
784-998	D	NO AIR SHIELD OR BRACKETS	
783-998	D	NO SIDE EXTENDERS	
782-998	D	NO FRAME SIDE FAIRINGS	
650-008	D	AIR CAB MOUNTING	
705-998	D	NO MISCELLANEOUS CUSTOM CAB REQUIREMENTS	
648-002	D	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE	
754-998	D	NO FENDER EXTENSION	
678-001	D	LH AND RH GRAB HANDLES	
646-023	D	HOOD MOUNTED CHROMED PLASTIC GRILLE	
65X-003	D	CHROME HOOD MOUNTED AIR INTAKE GRILLE	
644-004	D	FIBERGLASS HOOD	
690-998	D	NO NOISE SHIELD-ENG COMPARTMENT	
727-066	D	DUAL 26 INCH RECTANGULAR POLISHED ALUMINUM AIR HORNS ROOF MOUNTED	F 8
726-002	D	DUAL ELECTRIC HORNS	
728-002	D	DUAL HORN SHIELDS	
657-001	D	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME	
78G-002	D	KEY QUANTITY OF 2	
575-001	D	REAR LICENSE PLATE MOUNT END OF FRAME	
327-012	D	SWITCH, INDICATOR LIGHT AND WIRING FOR (2) CUSTOMER FURNISHED BEACONS	
312-038	D	INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH CHROME BEZEL	
302-047	D	LED AERODYNAMIC MARKER LIGHTS	
315-998	D	NO FOG LIGHTS	
311-001	D	DAYTIME RUNNING LIGHTS	
316-998	D	NO SPOTLIGHTS	
294-046	D	OMIT STOP/TAIL/BACKUP LIGHTS AND PROVIDE WIRING WITH SEPARATE STOP/TURN WIRES TO 4 FEET BEYOND END OF FRAME	R -5
300-015	D	STANDARD FRONT TURN SIGNAL LAMPS	
469-998	D	NO WORK LIGHT	
318-032	D	SWITCH, INDICATOR LIGHT AND APPROXIMATELY 10 FEET OF WIRE ON CHASSIS RH BACK OF CAB FOR CUSTOMER FURNISHED UTILITY LIGHT(S)	
744-1BC	D	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE	
797-001	D	DOOR MOUNTED MIRRORS	

Databook	Origin TCO #	Description	Value
796-001	D	102 INCH EQUIPMENT WIDTH	
743-204	D	LH AND RH 8 INCH BRIGHT FINISH CONVEX MI	
	D	RRORS MOUNTED UNDER PRIMARY MIRRORS	
74A-001	D	RH DOWN VIEW MIRROR	
74B-998	D	NO AUXILIARY MIRROR	
713-998	D	NO PERMIT PLAQUE	
729-001	D	STANDARD SIDE/REAR REFLECTORS	
73A-998	D	NO REFLECTIVE DEVICES	
677-055	D	RH AFTERTREATMENT SYSTEM CAB ACCESS WITH	
	D	POLISHED DIAMOND PLATE COVER	
275-061	D	ELECTRIC HORN WARNING SYSTEM FOR PARK BR	
	D	AKE NOT SET WITH DOOR OPEN AND ALL IGNIT	
	D	ION KEY POSITIONS	
764-010	D	COMPOSITE EXTERIOR SUN VISOR	F 10
768-043	D	63X14 INCH TINTED REAR WINDOW	
661-003	D	TINTED DOOR GLASS LH AND RH WITH TINTED	
	D	NON-OPERATING WING WINDOWS	
654-011	D	RH AND LH ELECTRIC POWERED WINDOWS	F 4
767-998	D	NO SIDE WINDOW	
769-002	D	LOWER RH DOOR WINDOW WITH FRESNEL LENS	F 7
663-013	D	1-PIECE SOLAR GREEN GLASS WINDSHIELD	
659-019	D	2 GALLON WINDSHIELD WASHER RESERVOIR WIT	
	D	HOUT FLUID LEVEL INDICATOR, FRAME MOUNTE	
	D	D	
647-998	D	NO WINTERFRONT	
		CAB INTERIOR	
707-1AK	D	OPAL GRAY VINYL INTERIOR	
055-004	D	INTERIOR CONVENIENCE PACKAGE WITH CB PRO	
	D	VISION	
706-026	D	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL	
	D	INSERT WITH ALUMINUM KICKPLATE LOWER DOO	
	D	R	
708-026	D	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL	
	D	INSERT WITH ALUMINUM KICKPLATE LOWER DOO	
	D	R	
772-006	D	BLACK MATS WITH SINGLE INSULATION	
785-004	D	DASH MOUNTED ASH TRAY(S) WITHOUT LIGHTER	
691-008	D	FORWARD ROOF MOUNTED CONSOLE WITH UPPER	
	D	STORAGE COMPARTMENTS WITHOUT NETTING	
694-998	D	NO INTERIOR GLOVE BOX/CAB FLOOR STORAGE	
696-012	D	CENTER STORAGE CONSOLE MOUNTED ON BACKWA	F 20
	D	LL	
693-023	D	LH DOOR MAP POCKET	
826-998	D	NO LOWER BUNK	
666-998	D	NO BUNK RESTRAINT	
738-998	D	NO CLOCK	
742-007	D	(2) CUP HOLDERS LH AND RH DASH	
680-007	D	GRAY/CHARCOAL WING DASH	
860-998	D	NO WIRING	
716-998	D	NO WINDSHIELD FAN	
720-003	D	5 LB. FIRE EXTINGUISHER	F 10
71T-998	D	NO SMOKE/GAS DETECTOR	
714-001	D	FIRST AID KIT	F 2
700-002	D	HEATER, DEFROSTER AND AIR CONDITIONER	
701-001	D	STANDARD HVAC DUCTING	
703-005	D	MAIN HVAC CONTROLS WITH RECIRCULATION SW	
	D	ITCH	
689-998	D	NO AUXILIARY HVAC UNIT	
170-019	D	STANDARD HEATER PLUMBING WITH BALL SHUTO	
	D	FF VALVES	

Databook	Origin TCO #	Description	Value
130-041	D	VALEO HEAVY DUTY A/C REFRIGERANT COMPRES	
	D	SOR	
702-002	D	BINARY CONTROL, R-134A	
739-033	D	STANDARD INSULATION	
285-013	D	SOLID-STATE CIRCUIT PROTECTION AND FUSES	
96R-002	S	STANDARD ELECTRICAL PROTECTIVE COATING,	
	S	GREASE ON BATTERY TERMINALS AND RED ENAM	
	S	EL PAINT IN ENGINE COMPARTMENT AND ON CH	
	S	ASSIS CONNECTIONS	
280-007	D	12V NEGATIVE GROUND ELECTRICAL SYSTEM	
324-011	D	DOME DOOR ACTIVATED LH AND RH, DUAL READ	
	D	ING LIGHTS, FORWARD CAB ROOF	
655-005	D	LH AND RH ELECTRIC DOOR LOCKS	
740-998	D	NO MATTRESS	
284-045	D	(2) 12 VOLT POWER RECEPTACLES MOUNTED IN	
	D	DASH	
67E-998	D	NO ENTRY/ACCESS/STEP WIRING	
710-998	D	NO CAB PRIVACY CURTAIN	
722-002	D	TRIANGULAR REFLECTORS WITHOUT FLARES	F 10
756-1E1	H	003 ELITE HIGH BACK AIR SUSPENSION DRIVER SE	
	H	AT WITH HEAT, 3 CHAMBER AIR LUMBAR, INTE	
	H	GRATED CUSHION EXTENSION, FORWARD AND RE	
	H	AR CUSHION TILT AND ADJUSTABLE SHOCK	
	003	PLEASE REVIEW AS 756-340 IS NOT AVAILABL	
		E UNTIL 07/12/21 CHANGEOVER	
760-1DC	D	BASIC HIGH BACK NON SUSPENSION PASSENGER	
	D	SEAT	
762-998	D	NO REAR PASSENGER SEAT	
757-998	D	NO SEAT SKIRT(S)	
759-005	D	DUAL DRIVER AND PASSENGER SEAT ARMRESTS	F 8
711-004	D	LH AND RH INTEGRAL DOOR PANEL ARMRESTS	
758-022	D	BLACK MORDURA CLOTH DRIVER SEAT COVER	
761-023	D	BLACK MORDURA CLOTH PASSENGER SEAT COVER	
755-998	D	NO REAR PASSENGER SEAT COVERS	
763-101	D	BLACK SEAT BELTS	
6TS-998	D	NO TELEMATICS SYSTEM - WIRING	
532-002	D	ADJUSTABLE TILT AND TELESCOPING STEERING	F 10
	D	COLUMN	
540-015	D	4-SPOKE 18 INCH (450MM) STEERING WHEEL	
765-002	D	DRIVER AND PASSENGER INTERIOR SUN VISORS	
		CONTROLS & INSTRUMENTS	
870-001	D	BLACK GAUGE BEZELS	
732-003	D	WOODGRAIN DRIVER INSTRUMENT PANEL	
734-003	D	WOODGRAIN CENTER INSTRUMENT PANEL	
68J-998	D	NO SWITCH BLANK - INSTRUMENT PANEL	
486-001	D	LOW AIR PRESSURE INDICATOR LIGHT AND AUD	
	D	IBLE ALARM	
838-998	D	NO AIR APPLICATION GAUGE	
840-002	D	2 INCH PRIMARY AND SECONDARY AIR PRESSUR	
	D	E GAUGES	
198-025	D	INTAKE MOUNTED AIR RESTRICTION INDICATOR	
	D	WITHOUT GRADUATIONS	
721-998	D	NO BACKUP ALARM	
149-017	D	ELECTRONIC CRUISE CONTROL WITH SWITCHES	
	D	ON AUXILIARY GAUGE PANEL (B DASH PANEL)	
156-007	D	KEY OPERATED IGNITION SWITCH AND INTEGRA	
	D	L START POSITION; 4 POSITION OFF/RUN/STA	
	D	RT/ACCESSORY	
157-998	D	NO REMOTE START	
811-042	D	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS,	

Databook	Origin TCO #	Description	Value
160-038	D	28 LED WARNING LAMPS AND DATA LINKED	
	D	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE	
	D	CONNECTOR LOCATED BELOW LH DASH	
844-001	D	2 INCH ELECTRIC FUEL GAUGE	
845-998	D	NO FUEL FLOW GAUGE	
148-003	D	PROGRAMMABLE RPM CONTROL - ELECTRONIC EN	
	D	GINE	
163-998	D	NO ENGINE OPT/RPM CONTROLS WIRING	
87L-998	D	NO REMOTE ENGINE CONTROL-ENABLE	
33U-998	D	NO CUSTOMER DEFINED WIRING FUNCTION	
866-998	D	NO AXLE TEMPERATURE GAUGE	
856-001	D	ELECTRICAL ENGINE COOLANT TEMPERATURE GA	
	D	UGE	
854-998	D	NO ENGINE OIL TEMPERATURE GAUGE	
864-001	D	2 INCH TRANSMISSION OIL TEMPERATURE GAUG	
	D	E	
867-998	D	NO OUTSIDE AIR TEMPERATURE GAUGE	
830-017	D	ENGINE AND TRIP HOUR METERS INTEGRAL WIT	
	D	HIN DRIVER DISPLAY	
438-998	D	NO HUBODOMETER	
33A-998	D	NO WARNING LIGHT SWITCHES	
372-051	D	CUSTOMER FURNISHED AND INSTALLED PTO CON	
	D	TROLS	
736-998	D	NO OBSTACLE DETECTION SYSTEM	
73H-998	D	NO CAMERA/VIDEO/IMAGING SYSTEM	
49B-998	D	NO VEHICLE STABILITY ADVISOR OR CONTROL	
73B-998	D	NO LANE DEPARTURE WARNING SYSTEM	
852-002	D	ELECTRIC ENGINE OIL PRESSURE GAUGE	
679-001	D	OVERHEAD INSTRUMENT PANEL	
35M-998	D	NO WRG-BDY MULTIPLEX EXPNSN UNIT	
786-998	D	NO POSITIONING/LOCATING SYSTEM	
78A-998	D	NO POSITION/COMMUNICATION ACCESSORY	
1U1-998	D	NO NAVIGATION SYSTEM	
746-116	H	AM/FM/WB WORLD TUNER RADIO WITH SIRIUSXM	
	H	, CD PLAYER, BLUETOOTH, IPOD INTERFACE A	
	H	ND USB AND AUXILIARY INPUTS, J1939	
	003	PLEASE REVIEW AS 746-135 IS NOT AVAILABL	
	003	E UNTIL 06/21/21 CHANGEOVER	
747-001	D	DASH MOUNTED RADIO	
74D-998	D	NO RADIO/SPEAKER WIRING	
750-002	D	(2) RADIO SPEAKERS IN CAB	
753-001	D	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF	
748-006	D	POWER AND GROUND WIRING PROVISION OVERHE	
	D	AD	
749-016	D	CB WIRING ONLY TO ROOF/OVERHEAD CONSOLE;	
	D	NO MOUNTING PROVISION	
752-998	D	NO CB ANTENNA, BRACKET OR LEAD	
78C-003	D	INTEROPERABLE SDAR ANTENNA	
810-027	D	ELECTRONIC MPH SPEEDOMETER WITH SECONDAR	
	D	Y KPH SCALE, WITHOUT ODOMETER	
817-001	D	STANDARD VEHICLE SPEED SENSOR	
812-001	D	ELECTRONIC 3000 RPM TACHOMETER	
813-998	D	NO VEHICLE PERFORMANCE MONITOR	
8D1-998	D	NO DETROIT CONNECT SERVICES SELECTED	
8Z1-998	D	NO ZONAR SERVICES SELECTED	
80K-998	D	NO SHUTDOWN OVERRIDE	
80L-998	D	NO REGEN SYSTEM TAILORING	
80M-998	S	NO ALTERNATE PTO SPEED	
80N-998	D	NO REDUCED ENGINE SPEED ON VSS FAILURE	
80P-998	S	NO FLEET SPEC FOR PARAMETERIZATION	

Databook	Origin TCO #	Description	Value
80Q-998	S	NO VEHICLE SPEED LIMIT - GHG	
162-002	D	IGNITION SWITCH CONTROLLED ENGINE STOP	
885-998	D	NO CONTROLS-FIRE PUMP	
329-998	D	NO EXTRA SWITCH IN DASH	
81Y-998	D	NO PRE TRIP SYSTEM TEST	
44R-998	D	NO ON/OFF LATCHING SMARTPLEX SWITCH	
44S-998	D	NO ON/OFF MOMENTARY SMARTPLEX SWITCH	
44T-998	D	NO ON/OFF/ON LATCHING SMARTPLEX SWITCH	
44U-998	D	NO ON/OFF/ON MOMENTARY SMARTPLEX SWITCH	
44V-998	D	NO PRE-DEFINED SMARTPLEX INDICATOR LAMPS	
44W-998	D	NO UNDEFINED INDICATOR LAMPS	
264-998	D	NO CONTROLS-SIREN/AIR HORN	
482-998	D	NO TRACTOR PROTECTION VALVE	
883-998	D	NO TRAILER HAND CONTROL BRAKE VALVE	
836-015	D	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY	
660-001	D	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY AND ARCTIC TYPE BLADES	
304-001	D	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH	
27D-998	D	NO ALTERNATING FLASHING HEADLAMP SYSTEM	
882-053	H	ONE VALVE PARK BRAKE SYSTEM WITH WARNING INDICATOR AND CUSTOMER WIRED AUTOPARK WITH AUTONEUTRAL PREP KIT	
299-013	D	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE	
298-039	D	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS	
869-998	D	NO MISCELLANEOUS GAUGES	
065-000	D	PAINT PAINT: ONE SOLID COLOR	
980-3F6	D	CAB COLOR A: N0006EA	
	D	WHITE ELITE SS	
986-020	D	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT	
98K-998	D	NO FUEL TANK CABINET PAINT	
962-998	D	PAINT-FRT WHEEL COLOR: NONE	
966-998	D	PAINT-RR WHEEL COLOR: NONE	
96E-998	D	NO PUSHER/TAG WHEEL PAINT	
96F-998	D	NO SPARE WHEEL PAINT	
964-998	D	NO BUMPER PAINT	
976-995	D	SUNVISOR PAINTED SAME AS CAB COLOR A	
963-003	D	STANDARD E COAT/UNDERCOATING	
		ADDITIONAL SPECIFICATIONS	
998-001	D	CORPORATE PDI CENTER IN-SERVICE ONLY	
95M-998	D	NO CUSTOMER FURNISHED MATERIAL SPECIFIED	
958-998	D	NO INSPECTION-LABOR ONLY	
99B-998	D	NO MODIFICATION CENTER SHIPPING INSTRUCTIONS	
82N-998	D	NO SHIPPING PROTECTION	
999-998	D	NONE	
996-001	D	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS	
MWF-004	S	DETROIT FRONT AXLE COVERAGE, GENERAL SERVICE, 2 YEAR/UNLIMITED MILES/KILOMETERS	
	S	RETAIL SUBTOTAL	
PMY-2G4		BUSINESS QUOTE SALES PROGRAM	
		TOTAL SUGGESTED RETAIL	
P90-746		M2 106 L9 & DD8 36.95%	
WAG-010		TOWING: 1 YEAR/UNLIMITED MILES/KM EXTEND	

Databook	Origin TCO #	Description	Value
RAG-020	002	ED TOWING COVERAGE \$550 CAP FEX APPLIES	
PMV-021		CUMMINS TARIFF CHARGE - \$205	
P73-2FT	002	GHG21 ENHANCEMENT PRICE	
PNY-002	002	STANDARD DESTINATION CHARGE	
		TRACKING CODE BUSINESS QUOTE	