

Prepared for:
ANDY JOHNSON
LINS PROPANE TRUCKS CORP
2281 CEDAR STREET
DIGHTON, MA 02715
Phone: 800-252-5467

Prepared by:
Michael Clark
VELOCITY TRUCK CENTERS
2501 CAMINO DEL SOL
OXNARD, CA 93030
Phone: 805-751-1823

A proposal for
LINS PROPANE TRUCKS CORP

Prepared by
VELOCITY TRUCK CENTERS
Michael Clark

May 16, 2023

Freightliner M2 106 Plus

Components shown may not reflect all spec'd options and are not to scale

Application Version 11.8.006
Data Version PRL-27M.042
LINS PROPANE TRUCKS STOCK *
SPEC 8 *



05/16/2023 11:19 AM

Page 1 of 28

Prepared for:
 ANDY JOHNSON
 LINS PROPANE TRUCKS CORP
 2281 CEDAR STREET
 DIGHTON, MA 02715
 Phone: 800-252-5467

Prepared by:
 Michael Clark
 VELOCITY TRUCK CENTERS
 2501 CAMINO DEL SOL
 OXNARD, CA 93030
 Phone: 805-751-1823

S P E C I F I C A T I O N P R O P O S A L

Description	Weight Front	Weight Rear
Price Level		
Data Version		
Vehicle Configuration		
M2 106 PLUS CONVENTIONAL CHASSIS	5,709	3,450
2024 MODEL YEAR SPECIFIED		
SET BACK AXLE - TRUCK		
STRAIGHT TRUCK PROVISION, NON-TOWING		
LH PRIMARY STEERING LOCATION		
General Service		
TRUCK CONFIGURATION		
DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)		
PICKUP AND DELIVERY/SHORT HAUL SERVICE		
PETROLEUM BUSINESS SEGMENT		
LIQUID BULK COMMODITY		
TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS		
MAXIMUM 8% EXPECTED GRADE		
SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
MEDIUM TRUCK WARRANTY		
EXPECTED FRONT AXLE(S) LOAD : 10000.0 lbs		
EXPECTED REAR DRIVE AXLE(S) LOAD : 23000.0 lbs		
EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 33000.0 lbs		
Truck Service		
TANK BODY		
EXPECTED EMPTY BODY WEIGHT : 8200.0 lbs		



Prepared for:
 ANDY JOHNSON
 LINS PROPANE TRUCKS CORP
 2281 CEDAR STREET
 DIGHTON, MA 02715
 Phone: 800-252-5467

Prepared by:
 Michael Clark
 VELOCITY TRUCK CENTERS
 2501 CAMINO DEL SOL
 OXNARD, CA 93030
 Phone: 805-751-1823

Description	Weight Front	Weight Rear
EXPECTED TRUCK BODY LENGTH : 18.0 ft		
EXPECTED TRUCK BODY WIDTH : 96.0 in		
EXP EMPTY BODY CG LOC FROM BODY FRT(A89) : 9.0 ft		
BRAKING-EXPECTED CAB TO BODY CLEARANCE : 4.0 in		
DEALER STOCK TRUCK - UPFIT UNDETERMINED		
EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES : 32.0 in		

Engine

CUM L9 350 HP @ 2200 RPM; 2200 GOV RPM, 1050 LB-FT @ 1200 RPM	640	30
---	-----	----

Electronic Parameters

75 MPH ROAD SPEED LIMIT
 CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT
 PTO MODE ENGINE RPM LIMIT - 1000 RPM
 PTO MODE THROTTLE OVERRIDE - LIMIT TO 1000 RPM
 PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED
 PTO RPM WITH CRUISE SET SWITCH - 1000 RPM
 PTO RPM WITH CRUISE RESUME SWITCH - 950 RPM
 PTO MODE CANCEL VEHICLE SPEED - 5 MPH
 PTO GOVERNOR RAMP RATE - 200 RPM PER SECOND
 ONE REMOTE PTO SPEED
 PTO SPEED 1 SETTING - 950 RPM
 PTO MINIMUM RPM - 700
 REGEN INHIBIT SPEED THRESHOLD - 5 MPH
 PTO 1, DASH SWITCH, STATIONARY OPERATION

Engine Equipment

2010 EPA/CARB/GHG21 CONFIGURATION
 2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)
 STANDARD OIL PAN
 ENGINE MOUNTED OIL CHECK AND FILL



Prepared for:
 ANDY JOHNSON
 LINS PROPANE TRUCKS CORP
 2281 CEDAR STREET
 DIGHTON, MA 02715
 Phone: 800-252-5467

Prepared by:
 Michael Clark
 VELOCITY TRUCK CENTERS
 2501 CAMINO DEL SOL
 OXNARD, CA 93030
 Phone: 805-751-1823

Description	Weight Front	Weight Rear
SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER		
DR 12V 160 AMP 36-SI BRUSHLESS QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	10	
(2) DTNA GENUINE, FLOODED STARTING, MIN 2000CCA, 370RC, THREADED STUD BATTERIES	10	
BATTERY BOX WITH ALUMINUM COVER MOUNTED SHORT SIDE TO RAIL		
STANDARD BATTERY JUMPERS		
SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB		
WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		
POLISHED DIAMOND PLATE BATTERY BOX COVER		
POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT	2	
POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER	2	
PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS		
CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE		
STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR		
AIR COMPRESSOR DISCHARGE LINE		
ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM		
CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF	20	
RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	30	25
ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER		
10 FOOT 06 INCH (126 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT		
STANDARD CURVE BRIGHT UPPER STACK(S)		
RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP		



Prepared for:
 ANDY JOHNSON
 LINS PROPANE TRUCKS CORP
 2281 CEDAR STREET
 DIGHTON, MA 02715
 Phone: 800-252-5467

Prepared by:
 Michael Clark
 VELOCITY TRUCK CENTERS
 2501 CAMINO DEL SOL
 OXNARD, CA 93030
 Phone: 805-751-1823

Description	Weight Front	Weight Rear
13 GALLON DIESEL EXHAUST FLUID TANK	35	10
100 PERCENT DIESEL EXHAUST FLUID FILL		
POLISHED ALUMINUM DIAMOND PLATE DIESEL EXHAUST FLUID TANK COVER	15	5
LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION		
STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING		
STANDARD DIESEL EXHAUST FLUID TANK CAP		
STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD		
AIR POWERED ON/OFF ENGINE FAN CLUTCH		
AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED		
CUMMINS SPIN ON FUEL FILTER		
COMBINATION FULL FLOW/BYPASS OIL FILTER		
900 SQUARE INCH ALUMINUM RADIATOR	15	
ANTIFREEZE TO -34F, ETHYLENE GLYCOL PRE-CHARGED SCA HEAVY DUTY COOLANT		
GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES		
RADIATOR DRAIN VALVE		
LOWER RADIATOR GUARD		
PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	4	
PHILLIPS-TEMRO 150 WATT/115 VOLT OIL PREHEATER	4	
CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR		
ALUMINUM FLYWHEEL HOUSING		
ELECTRIC GRID AIR INTAKE WARMER		
DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH		

Transmission

ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	200	60
--	-----	----

Transmission Equipment

ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV



Prepared for:
 ANDY JOHNSON
 LINS PROPANE TRUCKS CORP
 2281 CEDAR STREET
 DIGHTON, MA 02715
 Phone: 800-252-5467

Prepared by:
 Michael Clark
 VELOCITY TRUCK CENTERS
 2501 CAMINO DEL SOL
 OXNARD, CA 93030
 Phone: 805-751-1823

Description	Weight Front	Weight Rear
ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES		
PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY		
SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY		
PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
ENGINE BRAKE RANGE ALTERNATE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED		
DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES		
QUICKFIT BODY LIGHTING CONNECTOR UNDER CAB, WITH BLUNTCUTS		
ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR		
CUSTOMER INSTALLED CHELSEA 280 SERIES PTO		
PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION ALLISON		
MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN		
PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED		
TRANSMISSION PROGNOSTICS - ENABLED 2013		



Prepared for:
 ANDY JOHNSON
 LINS PROPANE TRUCKS CORP
 2281 CEDAR STREET
 DIGHTON, MA 02715
 Phone: 800-252-5467

Prepared by:
 Michael Clark
 VELOCITY TRUCK CENTERS
 2501 CAMINO DEL SOL
 OXNARD, CA 93030
 Phone: 805-751-1823

Description	Weight Front	Weight Rear
WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK		
TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK		
SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)		
Front Axle and Equipment		
DETROIT DA-F-10.0-3 10,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE		
MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
NON-ASBESTOS FRONT BRAKE LINING		
CONMET CASTLITE CAST IRON FRONT BRAKE DRUMS	-20	
FRONT BRAKE DUST SHIELDS	5	
FRONT OIL SEALS		
VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
STANDARD SPINDLE NUTS FOR ALL AXLES		
MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
TRW THP-60 POWER STEERING		
POWER STEERING PUMP		
2 QUART SEE THROUGH POWER STEERING RESERVOIR		
CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE		
Front Suspension		
12,000# DUAL TAPERLEAF FRONT SUSPENSION	42	
MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION		
FRONT SHOCK ABSORBERS		
Rear Axle and Equipment		
DETROIT DA-RS-23.0-4 23,000# R-SERIES SINGLE REAR AXLE		30
5.56 REAR AXLE RATIO		
IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	20	20
DRIVELINE GUARD	25	25



Prepared for:
 ANDY JOHNSON
 LINS PROPANE TRUCKS CORP
 2281 CEDAR STREET
 DIGHTON, MA 02715
 Phone: 800-252-5467

Prepared by:
 Michael Clark
 VELOCITY TRUCK CENTERS
 2501 CAMINO DEL SOL
 OXNARD, CA 93030
 Phone: 805-751-1823

Description	Weight Front	Weight Rear
DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE		20
(1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE		
INDICATOR LIGHT AND BUZZER FOR EACH DIFFERENTIAL LOCKOUT SWITCH, ENGAGE AT SPEEDS 5 MPH OR LESS, DISENGAGE WIGN OFF		
MERITOR 16.5X8.62 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
NON-ASBESTOS REAR BRAKE LINING		
BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT BRACKETS		
CONMET CASTLITE CAST IRON REAR BRAKE DRUMS		-15
REAR BRAKE DUST SHIELDS		5
REAR OIL SEALS		
WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS		
MERITOR AUTOMATIC REAR SLACK ADJUSTERS		
CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE		

Rear Suspension

AIRLINER 23,000# REAR SUSPENSION WITH CHAIN CLEARANCE		180
AIRLINER HIGH POSITION RIDE HEIGHT		
STANDARD U-BOLT PAD WITH U-BOLTS EXTENDED 1.00" LONGER THAN STANDARD		
SINGLE AIR REAR SUSPENSION LEVELING VALVE		
TRANSVERSE CONTROL RODS		
REAR SHOCK ABSORBERS - ONE AXLE (AIR RIDE SUSPENSION)		

Brake System

AIR BRAKE PACKAGE
 WABCO 4S/4M ABS WITH TRACTION CONTROL
 REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES
 FIBER BRAID PARKING BRAKE HOSE
 STANDARD BRAKE SYSTEM VALVES



Prepared for:
 ANDY JOHNSON
 LINS PROPANE TRUCKS CORP
 2281 CEDAR STREET
 DIGHTON, MA 02715
 Phone: 800-252-5467

Prepared by:
 Michael Clark
 VELOCITY TRUCK CENTERS
 2501 CAMINO DEL SOL
 OXNARD, CA 93030
 Phone: 805-751-1823

Description	Weight Front	Weight Rear
STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM		
STD U.S. FRONT BRAKE VALVE		
RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		
WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER		
WABCO OIL COALESCING FILTER FOR AIR DRYER		
AIR DRYER MOUNTED UNDER HOOD		
ALUMINUM AIR BRAKE RESERVOIRS; CUSTOMER ACCEPTS TANKS MOUNTED PERPENDICULAR TO RAIL	-5	-5
PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS		
Wheelbase & Frame		
5175MM (204 INCH) WHEELBASE		
11/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8MM/0.344X10.19 INCH) 120KSI	150	80
2025MM (80 INCH) REAR FRAME OVERHANG		
FRAME OVERHANG RANGE: 71 INCH TO 80 INCH	-20	90
CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 138.19 in		
CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 134.19 in		
CALC'D FRAME LENGTH - OVERALL : 322.42 in		
CALCULATED FRAME SPACE LH SIDE : 72.25 in		
CALCULATED FRAME SPACE RH SIDE : 84.69 in		
SQUARE END OF FRAME		
FRONT CLOSING CROSSMEMBER		
STANDARD WEIGHT ENGINE CROSSMEMBER		
STANDARD CROSSMEMBER BACK OF TRANSMISSION		
STANDARD MIDSHIP #1 CROSSMEMEBER (S), NO CROSSMEMBERS FROM 42 INCHES TO 78 INCHES BACK OF THE CAB		
STANDARD REARMOST CROSSMEMBER		
HEAVY DUTY SUSPENSION CROSSMEMBER		30
Chassis Equipment		
THREE-PIECE 14 INCH CHROMED STEEL BUMPER WITH COLLAPSIBLE ENDS	30	



Prepared for:
 ANDY JOHNSON
 LINS PROPANE TRUCKS CORP
 2281 CEDAR STREET
 DIGHTON, MA 02715
 Phone: 800-252-5467

Prepared by:
 Michael Clark
 VELOCITY TRUCK CENTERS
 2501 CAMINO DEL SOL
 OXNARD, CA 93030
 Phone: 805-751-1823

Description	Weight Front	Weight Rear
FRONT TOW HOOKS - FRAME MOUNTED	15	
BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS		
GRADE 8 THREADED HEX HEADED FRAME FASTENERS		
TANK BODY 3001 TO 4500 GALLONS		
Fuel Tanks		
50 GALLON/189 LITER RECTANGULAR ALUMINUM FUEL TANK - LH	20	
RECTANGULAR FUEL TANK(S)		
POLISHING OF FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
FUEL TANK(S) FORWARD		
POLISHED STAINLESS STEEL STEP FINISH		
CHROME FUEL TANK CAP(S)		
DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR, HAND PRIMER AND 12 VOLT PREHEATER"	-5	
EQUIFLO INBOARD FUEL SYSTEM		
HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
INSULATION FOR FUEL LINES	2	
Tires		
CONTINENTAL HSR3 11R22.5 14 PLY RADIAL FRONT TIRES	70	
CONTINENTAL HDR2+ 11R22.5 14 PLY RADIAL REAR TIRES		92
Hubs		
CONMET PRESET PLUS PREMIUM ALUMINUM FRONT HUBS	-30	
CONMET PRESET PLUS PREMIUM ALUMINUM REAR HUBS		-30
Wheels		
ACCURIDE 43644 ACCU-LITE 22.5X8.25 10-HUB PILOT 5.79 INSET ALUMINUM DISC FRONT WHEELS	-64	
ACCURIDE 43644 ACCU-LITE 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS		-128
POLISHED FRONT WHEELS; INSIDE AND OUTSIDE		



Prepared for:
 ANDY JOHNSON
 LINS PROPANE TRUCKS CORP
 2281 CEDAR STREET
 DIGHTON, MA 02715
 Phone: 800-252-5467

Prepared by:
 Michael Clark
 VELOCITY TRUCK CENTERS
 2501 CAMINO DEL SOL
 OXNARD, CA 93030
 Phone: 805-751-1823

Description	Weight Front	Weight Rear
POLISHED REAR WHEELS; BOTH SIDES OF OUTER WHEELS ONLY FRONT WHEEL MOUNTING NUTS REAR WHEEL MOUNTING NUTS		
Cab Exterior		
106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB AIR CAB MOUNTING NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE LH AND RH GRAB HANDLES HOOD MOUNTED CHROMED PLASTIC GRILLE CHROME HOOD MOUNTED AIR INTAKE GRILLE FIBERGLASS HOOD HOOD LINER INSULATION WITH SINGLE FIREWALL INSULATION DUAL 26 INCH RECTANGULAR POLISHED ALUMINUM AIR HORNS ROOF MOUNTED DUAL ELECTRIC HORNS DUAL HORN SHIELDS REAR LICENSE PLATE MOUNT END OF FRAME SWITCH, INDICATOR LIGHT AND WIRING FOR (2) CUSTOMER FURNISHED BEACONS INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH CHROME BEZEL LED AERODYNAMIC MARKER LIGHTS HEADLIGHTS ON WITH WIPERS, WITH DAYTIME RUNNING LIGHTS OMIT STOP/TAIL/BACKUP LIGHTS AND PROVIDE WIRING WITH SEPARATE STOP/TURN WIRES TO 4 FEET BEYOND END OF FRAME STANDARD FRONT TURN SIGNAL LAMPS SWITCH, INDICATOR LIGHT AND APPROXIMATELY 10 FEET OF WIRE ON CHASSIS RH BACK OF CAB FOR CUSTOMER FURNISHED UTILITY LIGHT(S) DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE DOOR MOUNTED MIRRORS 102 INCH EQUIPMENT WIDTH LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS	8	-5



Prepared for:
 ANDY JOHNSON
 LINS PROPANE TRUCKS CORP
 2281 CEDAR STREET
 DIGHTON, MA 02715
 Phone: 800-252-5467

Prepared by:
 Michael Clark
 VELOCITY TRUCK CENTERS
 2501 CAMINO DEL SOL
 OXNARD, CA 93030
 Phone: 805-751-1823

Description	Weight Front	Weight Rear
RH DOWN VIEW MIRROR		
STANDARD SIDE/REAR REFLECTORS		
RH AFTERTREATMENT SYSTEM CAB ACCESS WITH POLISHED DIAMOND PLATE COVER		
PARK BRAKE REMINDER WARNING SYSTEM		
COMPOSITE EXTERIOR SUN VISOR	10	
63X14 INCH TINTED REAR WINDOW		
TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS		
RH AND LH ELECTRIC POWERED WINDOWS	4	
LOWER RH DOOR WINDOW WITH FRESNEL LENS	7	
1-PIECE ROPED-IN SOLAR GREEN GLASS WINDSHIELD		
2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED		

Cab Interior

ELITE TRIM PACKAGE		
MIST CLOTH & CARBON VINYL INTERIOR "ELITE"		
CARBON WITH PREMIUM WOOD ACCENT (ELITE)		
MOLDED PLASTIC DOOR PANEL		
MOLDED PLASTIC DOOR PANEL		
BLACK MATS WITH SINGLE INSULATION		
(1)DASH MOUNTED 12V POWER OUTLET		
(1)DASH MOUNTED DUAL 2.1 AMP USB-C CHARGER		
FORWARD ROOF MOUNTED CONSOLE		
CENTER STORAGE CONSOLE MOUNTED ON BACKWALL	20	
LH AND RH KICKPLATES		
DIGITAL ALARM CLOCK IN DRIVER DISPLAY		
(2) CUP HOLDERS LH AND RH DASH		
M2/SD DASH		
5 LB. FIRE EXTINGUISHER	10	
FIRST AID KIT	2	
HEATER, DEFROSTER AND AIR CONDITIONER		
STANDARD HVAC DUCTING WITH SNOW SHIELD FOR FRESH AIR INTAKE		



Prepared for:
 ANDY JOHNSON
 LINS PROPANE TRUCKS CORP
 2281 CEDAR STREET
 DIGHTON, MA 02715
 Phone: 800-252-5467

Prepared by:
 Michael Clark
 VELOCITY TRUCK CENTERS
 2501 CAMINO DEL SOL
 OXNARD, CA 93030
 Phone: 805-751-1823

Description	Weight Front	Weight Rear
MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		
STANDARD HEATER PLUMBING WITH BALL SHUTOFF VALVES AT SUPPLY LINES ONLY		
VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR		
BINARY CONTROL, R-134A		
PREMIUM INSULATION		
SOLID-STATE CIRCUIT PROTECTION AND FUSES		
12V NEGATIVE GROUND ELECTRICAL SYSTEM		
PREMIUM LED CAB LIGHTING		
DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME		
KEY QUANTITY OF 4		
LH AND RH ELECTRIC DOOR LOCKS		
TRIANGULAR REFLECTORS WITHOUT FLARES	10	
ELITE ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT W/2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT, ADJUSTABLE SHOCK, HEAT	70	
BASIC ISRI HIGH BACK NON SUSPENSION PASSENGER SEAT		
DUAL DRIVER AND PASSENGER SEAT ARMRESTS	8	
LH AND RH INTEGRAL DOOR PANEL ARMRESTS		
BLACK MORDURA CLOTH DRIVER SEAT COVER		
BLACK MORDURA CLOTH PASSENGER SEAT COVER		
BLACK SEAT BELTS		
ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	10	
4-SPOKE 18 INCH (450MM) LEATHER WRAPPED STEERING WHEEL WITH CHROME SWITCH BEZELS		
DRIVER AND PASSENGER INTERIOR SUN VISORS		

Instruments & Controls

DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY
 NO INSTRUMENT PANEL-DRIVER
 INTEGRATED UPPER & LOWER STORAGE PANELS



Prepared for:
 ANDY JOHNSON
 LINS PROPANE TRUCKS CORP
 2281 CEDAR STREET
 DIGHTON, MA 02715
 Phone: 800-252-5467

Prepared by:
 Michael Clark
 VELOCITY TRUCK CENTERS
 2501 CAMINO DEL SOL
 OXNARD, CA 93030
 Phone: 805-751-1823

Description	Weight Front	Weight Rear
ENGINE REMOTE INTERFACE WITH PARK BRAKE AND NEUTRAL INTERLOCKS BRIGHT ARGENT FINISH GAUGE BEZELS LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE INTAKE MOUNTED AIR RESTRICTION INDICATOR W/ COLOR LED WARNING LIGHT, 18 INCH AND 20 INCH LIMITS ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH 2 INCH ELECTRIC FUEL GAUGE ENGINE REMOTE INTERFACE WITH ONE OR MORE SET SPEEDS QUICKFIT POWERTRAIN INTERFACE CONNECTOR UNDER CAB WITH BLUNTCUTS ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR DIGITAL SINGLE REAR AXLE TEMPERATURE IN DRIVER DISPLAY WITH SENSOR SHIELD ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE DIGITAL TRANSMISSION OIL TEMPERATURE IN DRIVER DISPLAY ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE ELECTRIC ENGINE OIL PRESSURE GAUGE NO OVERHEAD INSTRUMENT PANEL AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH, USB AND AUXILIARY INPUTS, J1939	10	



Prepared for:
 ANDY JOHNSON
 LINS PROPANE TRUCKS CORP
 2281 CEDAR STREET
 DIGHTON, MA 02715
 Phone: 800-252-5467

Prepared by:
 Michael Clark
 VELOCITY TRUCK CENTERS
 2501 CAMINO DEL SOL
 OXNARD, CA 93030
 Phone: 805-751-1823

Description	Weight Front	Weight Rear
DASH MOUNTED RADIO (2) RADIO SPEAKERS IN CAB AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF STANDARD RADIO WIRING WITH STEERING WHEEL CONTROLS ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER STANDARD VEHICLE SPEED SENSOR ELECTRONIC 3000 RPM TACHOMETER DETROIT CONNECT PLATFORM HARDWARE 3 YEARS DAIMLER CONNECTIVITY BASE PACKAGE (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL IGNITION SWITCH CONTROLLED ENGINE STOP ONE EXTRA HARDWIRED SWITCH IN DASH, ROUTE TO UNDER CAB, BLUNTCUT HARDWIRE SWITCH #1, ON/OFF LATCHING, 20 AMPS IGNITION POWER PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS AND SERVICE BRAKES (1) OVERHEAD MOUNTED LANYARD CONTROL FOR DRIVER AIR HORN DIGITAL TURBO AIR PRESSURE IN DRIVER DISPLAY DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY AND ARCTIC TYPE BLADES ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY		

Design



Prepared for:
 ANDY JOHNSON
 LINS PROPANE TRUCKS CORP
 2281 CEDAR STREET
 DIGHTON, MA 02715
 Phone: 800-252-5467

Prepared by:
 Michael Clark
 VELOCITY TRUCK CENTERS
 2501 CAMINO DEL SOL
 OXNARD, CA 93030
 Phone: 805-751-1823

Description	Weight Front	Weight Rear
Color		
PAINT: ONE SOLID COLOR		
CAB COLOR A: L0006EY WHITE ELITE EY BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT SUNVISOR PAINTED SAME AS CAB COLOR A STANDARD E COAT/UNDERCOATING		
Certification / Compliance		
U.S. FMVSS CERTIFICATION,		
Secondary Factory Options		

TOTAL VEHICLE SUMMARY

Weight Summary			
	Weight Front	Weight Rear	Total Weight
Factory Weight ⁺	7100 lbs	3969 lbs	11069 lbs
Total Weight ⁺	7100 lbs	3969 lbs	11069 lbs

Extended Warranty
 TOWING: 1 YEAR/UNLIMITED MILES/KM EXTENDED TOWING
 COVERAGE \$750 CAP FEX APPLIES

(+) Weights shown are estimates only.
 If weight is critical, contact Customer Application Engineering.

