
Prepared For:
Lin's Propane
ANDY JOHNSON
2281 Cedar Street
Dignton, MA 02715-
(508)669 - 6665
Reference ID: Stock ISL

Presented By:
HUNTER'S TRUCK SLS & SVC
Andy Keller
100 HUNTERS WAY
SMITHFIELD PA 15478 -
(724)564-4292



Model Profile
2017 4400 SBA 4X2 (MA035)

APPLICATION:	Compressed Gas
MISSION:	Requested GVWR: 33000. Calc. GVWR: 33000 Calc. Start / Grade Ability: 34.22% / 2.86% @ 55 MPH Calc. Geared Speed: 74.0 MPH
DIMENSION:	Wheelbase: 211.00, CA: 143.90, Axle to Frame: 77.00
ENGINE, DIESEL:	{Cummins ISL9 300} EPA 2010, 300 HP @ 2000 RPM, 860 lb-ft Torque @ 1300 RPM, 2200 RPM Governed Speed, 300 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 3000_RDS_P} 5th Generation Controls; Close Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Navistar Select} Wide Track, I-Beam Type, 10,000-lb Capacity
AXLE, REAR, SINGLE:	{Dana Spicer S23-170D} Single Reduction, 23,000-lb Capacity, R Wheel Ends, Driver Controlled Locking Differential Gear Ratio: 5.57
CAB:	Conventional
TIRE, FRONT:	(2) 11R22.5 Load Range G HSR2 (CONTINENTAL), 498 rev/mile, 75 MPH, All-Position
TIRE, REAR:	(4) 11R22.5 Load Range G HDL2 (CONTINENTAL), 493 rev/mile, 75 MPH, Drive
SUSPENSION, RR, SPRING, SINGLE:	Vari-Rate; 23,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring
PAINT:	Cab schematic 100GA Location 1: 9219, Winter White (Std) Chassis schematic N/A

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)	List (US DOLLAR)
MA03500	Base Chassis, Model 4400 SBA 4X2 with 211.00 Wheelbase, 143.90 CA, and 77.00 Axle to Frame.	6407/3130	9537	$91,249.00
1570	TOW HOOK, FRONT (2) Frame Mounted	8/0	8	$73.00
1CAE	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 460.0" (11684mm) Maximum OAL	113/319	432	$515.00
1LNN	BUMPER, FRONT Full Width, Aerodynamic, Chrome Plated Steel; 0.142" Material Thickness	0/0	0	$397.00
1WEJ	WHEELBASE RANGE 199" (505cm) Through and Including 254" (645cm)	0/0	0	$349.00
2AUU	AXLE, FRONT NON-DRIVING {Navistar Select} Wide Track, I-Beam Type, 10,000-lb Capacity	81/0	81	($1.00)
3ADB	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 10,000-lb Capacity; With Shock Absorbers	66/0	66	$0.00
	Includes : SPRING PINS Rubber Bushings, Maintenance-Free			
	Notes : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.			
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	121/35	156	($339.00)
	Includes : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4			
	Notes : Front and Rear Dust Shields not Included : Rear Axle is Limited to 19,000-LB GAWR with Code 04091 BRAKE SYSTEM, AIR and Code 04NDC BRAKES, REAR, AIR CAM Regardless of Axle/Suspension Ordered : Rear Axle is Limited to 20,000-LB GAWR with Code 04092 BRAKE SYSTEM, AIR and Code 04NCW BRAKES, REAR, AIR CAM Regardless of Axle/Suspension Ordered : Rear Axle is Limited to 23,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle/Suspension Ordered			
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)	9/21	30	$1,357.00

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)	List (US DOLLAR)
4EBS	AIR DRYER {Bendix AD-9} With Heater	24/3	27	$450.00
	Includes : AIR DRYER LOCATION Inside Left Rail, Back of Cab			
4EXP	BRAKE CHAMBERS, FRONT AXLE {Bendix} 20 SqIn	17/0	17	$0.00
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Spring Brake	0/0	0	$0.00
4JCJ	BRAKES, FRONT, AIR CAM S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. Long Stroke Brake Chambers	165/0	165	$0.00
	Notes : Front Axle with 14,000-lb GAWR is Limited to 13,200-lb GAWR when used in Conjunction with 15" BRAKES, FRONT, AIR CAM. : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.			
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake	0/211	211	$0.00
	Notes : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.			
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM Capacity	0/0	0	$0.00
4WZJ	AIR TANK LOCATION (2) : One Mounted Under Each Frame Rail, Front of Rear Suspension, Parallel to Rail	5/20	25	$288.00
5710	STEERING COLUMN Tilting and Telescoping	0/0	0	$463.00
5CAL	STEERING WHEEL 2-Spoke, 18" Dia., Black	0/0	0	$0.00
5PSM	STEERING GEAR {Sheppard HD94} Power	38/-1	37	$110.00
7BEP	EXHAUST SYSTEM Switchback Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab; Includes Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab	126/-23	103	$2,128.00
7SCP	ENGINE EXHAUST BRAKE for Cummins ISB/B6.7/ISL Engine with Variable Vane Turbo Charger	0/0	0	$184.00
7WBA	TAIL PIPE (1) Turnback Type, Bright, for Single Exhaust	0/0	0	$162.00
7WBS	MUFFLER/TAIL PIPE GUARD (1) Bright Stainless Steel	0/0	0	$133.00
7WCR	EXHAUST HEIGHT 10' 11"	2/0	2	$72.00
7WZX	SWITCH, FOR EXHAUST 3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF	2/0	2	$42.00
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	0/0	0	$0.00
	Includes : BATTERY BOX Steel			

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)	List (US DOLLAR)
	: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered			
8541	HORN, ELECTRIC (2) Disc Style	1/0	1	$29.00
8718	POWER SOURCE Cigar Type Receptacle without Plug and Cord	1/0	1	$30.00
8GXD	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount, With Remote Sense	0/0	0	$0.00
8HAB	BODY BUILDER WIRING Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	2/0	2	$100.00
8MKL	BATTERY SYSTEM {International} Maintenance-Free, (3) 12-Volt 1950CCA Total	46/10	56	$103.00
8RMA	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/3MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music, with Multiple Speakers	1/0	1	$483.00
8WCL	HORN, AIR Black, Single Trumpet, Air Solenoid Operated	2/0	2	$94.00
8WPB	HEADLIGHTS Halogen; Composite Aero Design for Two Light System; Includes Daytime Running Lights	0/0	0	$58.00
8WTK	STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt; less Thermal Over-Crank Protection	0/0	0	$0.00
8WWJ	INDICATOR, LOW COOLANT LEVEL With Audible Alarm	0/0	0	$0.00
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	0/0	0	$99.00
8XDU	BATTERY BOX Steel, With Aluminum Cover, 14" Wide, 3 Battery Capacity, Mounted Left Side Under Cab	65/26	91	$461.00
9HAD	GRILLE Chrome	0/0	0	$0.00

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)	List (US DOLLAR)
9WAC	BUG SCREEN Front End; Mounted Behind Grille	5/0	5	$131.00
9WAY	FRONT END Tilting, Fiberglass, With Three Piece Construction	0/0	0	$0.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	0/0	0	$0.00
	Includes : PAINT SCHEMATIC ID LETTERS "GA"			
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0	$0.00
10WCY	SAFETY TRIANGLES	6/0	6	$29.00
11001	CLUTCH Omit Item (Clutch & Control)	-66/-9	-75	$0.00
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	0/0	0	$0.00
12849	BLOCK HEATER, ENGINE 120V/1000W, for Cummins ISB/ B6.7/ISL Engines	0/0	0	$88.00
12EHK	ENGINE, DIESEL {Cummins ISL9 300} EPA 2010, 300 HP @ 2000 RPM, 860 lb-ft Torque @ 1300 RPM, 2200 RPM Governed Speed, 300 Peak HP (Max)	0/0	0	$613.00
12THT	FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed With Residual Torque Device for Disengaged Fan Speed	0/0	0	$0.00
	Includes : FAN Nylon			
	Notes : Recommend Code 12THT when using front mount obstructions (winches, cones, reels, etc.) that restrict air flow through the radiator.			
12UAW	RADIATOR Aluminum; 2-Row, Cross Flow, Over Under System, 1045 SqIn Louvered, With 373 SqIn CAC, With In Tank Oil Cooler	-97/7	-90	$0.00
12UNY	FEDERAL EMISSIONS {Cummins ISL9} EPA, OBD and GHG Certified for Calendar Year 2016	0/0	0	$350.00
12VBR	AIR CLEANER With Service Protection Element	0/0	0	$0.00
	Includes : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted			
12VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel	0/0	0	$0.00
12WZB	EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood	0/0	0	$62.00
12XAT	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for Cummins ISB/B6.7 or ISL Engines	0/0	0	$45.00

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)	List (US DOLLAR)
13AVR	TRANSMISSION, AUTOMATIC {Allison 3000_RDS_P} 5th Generation Controls; Close Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.	212/37	249	$8,255.00
13WBL	TRANSMISSION SHIFT CONTROL {Allison} Push-Button Type; for Allison 3000 & 4000 Series Transmission	0/0	0	$0.00
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints	0/0	0	$203.00
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction	0/0	0	$0.00
13WYU	SHIFT CONTROL PARAMETERS Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, Performance Programming	0/0	0	$0.00
13XAM	PTO LOCATION Dual, Left and Right Side of Transmission	0/0	0	$0.00
14AHC	AXLE, REAR, SINGLE {Dana Spicer S23-170D} Single Reduction, 23,000-lb Capacity, R Wheel Ends, Driver Controlled Locking Differential . Gear Ratio: 5.57 Includes : REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle Notes : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires. : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance	0/263	263	$1,817.00
14VAH	SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 23,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring Notes : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	0/35	35	$87.00
14WMG	AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 30 thru 39.99 Pints	0/0	0	$198.00
15LMR	FUEL/WATER SEPARATOR {Racor 400 Series,} Unheated, with Primer Pump, and WIF Sensor	0/0	0	$0.00
15LPE	LOCATION FUEL/WATER SEPARATOR Mounted Inboard of DEF Tank, Under Cab	0/0	0	$50.00
15SXJ	FUEL TANK Top Draw; Non-Polished Aluminum, 24" Diam., 50 U.S. Gal., 189 L Capacity, Mounted Left Side Under Cab	15/3	18	$242.00
15WCN	DEF TANK 5 U.S. Gal. Capacity; Frame Mounted Outside Left Rail, Under Cab	-2/15	13	$89.00
16030	CAB Conventional Includes : ARM REST (2) Molded Plastic; One Each Door : CLEARANCE/MARKER LIGHTS (5) Flush Mounted	0/0	0	$0.00

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)	List (US DOLLAR)
	: COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : STEP (4) Two Steps Per Door			
16HBA	GAUGE CLUSTER English With English Electronic Speedometer	0/0	0	$0.00
	Includes : GAUGE CLUSTER (5) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)			
16HGH	GAUGE, OIL TEMP, AUTO TRANS , for Allison Transmission	1/0	1	$48.00
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	0/0	0	$0.00
16HLJ	GAUGE, DEF FLUID LEVEL	0/0	0	$0.00
16JNV	SEAT, DRIVER {National 2000} Air Suspension, High Back With Integral Headrest, Cloth, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, -3 to +14 Degree Back Angle Adjust	-15/-10	-25	$157.00
	Includes : SEAT BELT 3-Point, Lap and Shoulder Belt Type			
16SDE	MIRROR, CONVEX, LOOK DOWN {Lang Mekra} Right Side; 6" x 10 1/4"	2/0	2	$49.00
16SMR	SEAT, PASSENGER {National} Non Suspension, High Back With Integral Headrest, Cloth, With Fixed Back, With Under Seat Storage	30/11	41	$504.00
16SNC	MIRRORS (2) {Lang Mekra} Rectangular, Thermostatically Controlled Heated Heads, Bright Finish Heads, with Black Brackets and Arms, Breakaway Type, 7.55" x 14.1" Integral Convex Both Sides, 102" Inside Spacing,	-3/0	-3	$204.00
16WBY	ARM REST, RIGHT, DRIVER SEAT	3/0	3	$39.00
16WCT	AIR CONDITIONER {Blend-Air} With Integral Heater & Defroster	66/5	71	$923.00
	Includes : HEATER HOSES Premium : HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps			

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)	List (US DOLLAR)
	: REFRIGERANT Hydrofluorocarbon HFC-134A			
16WJS	INSTRUMENT PANEL Center Section, Flat Panel	0/0	0	$0.00
16WJU	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature	5/0	5	$367.00
16WRZ	CAB INTERIOR TRIM Premium	0/0	0	$304.00
	Includes : "A" PILLAR COVER Molded Plastic : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CAB SOUND INSULATION Includes Dash and Engine Cover Insulators : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets, CB Radio Pocket, Speakers, and Reading Lights : COURTESY LIGHT (2) Mounted In Front Map Pocket Left and Right Side : DOOR TRIM PANELS with Cloth Insert on Bolster Driver and Passenger Doors : FLOOR COVERING Rubber, Black : GAUGE, TEMPERATURE, AMBIENT Includes Wiring and Sensor With Display Unit Mounted in Cluster : HEADLINER Soft Padded Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : STORAGE POCKET, DOOR (2) Molded Plastic (Carpet Texture), Full-Length; Driver and Passenger Doors : SUN VISOR (3) Padded Vinyl: 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Vanity Mirror and Toll Ticket Strap, plus 1 Auxiliary Visor (Front Only), Driver Side			
16WSK	CAB REAR SUSPENSION Air Bag Type	0/0	0	$0.00
16XWE	SUNSHADE, EXTERIOR Bright Finish; Includes Integral Clearance/Marker Lights	14/3	17	$688.00
27DMC	WHEELS, FRONT DISC; 22.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	-58/0	-58	$463.00
	Notes : Aluminum Wheels not Painted or Coated : COMPATIBLE TIRE SIZES: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22.5			
28DMC	WHEELS, REAR DUAL DISC; 22.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	0/56	56	$971.00
	Notes : Aluminum Wheels not Painted or Coated : COMPATIBLE TIRE SIZES: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22.5 : Polished Surface Outside Dual Only			

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)	List (US DOLLAR)
29580	WHEEL SEALS, FRONT {International} Oil-Lubricated Wheel Bearings	0/0	0	$37.00
7372135415	(2) TIRE, FRONT 11R22.5 Load Range G HSR2 (CONTINENTAL), 498 rev/mile, 75 MPH, All-Position	64/0	64	$218.00
7372135432	(4) TIRE, REAR 11R22.5 Load Range G HDL2 (CONTINENTAL), 493 rev/mile, 75 MPH, Drive	0/164	164	$332.00
	Total of Product Features			**$116,652.00**
	Cab schematic 100GA			
	Location 1: 9219, Winter White (Std)			
	Chassis schematic N/A			
	Services Section:			
40116	WARRANTY Standard for Durastar 1000/4000 Series, Effective with Vehicles Built January 2, 2015 or Later, CTS-2475P	0/0	0	$0.00
	Total of Service Features			**$0.00**
	Total Component Weight:	**7484/4331**	**11815**	
	Total List Price Including Options:			**$116,652.00**

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. Navistar, Inc. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.